Fractal Design Meshify C



Artikel Herstellernummer EAN Fractal Design 102843 FD-CA-MESH-C-BKO-TG 0817301014892

Meshify strikes an aggressive pose in the Fractal Design lineup with unparalleled cooling performance and a defiant new look. Like black diamond facets, the angular asymmetry of the Meshify C carves a space uniquely its own as a new force in high-airflow design. Tempered glass with a distinctive tint completes the stealth-inspired black-on-black aesthetic with exceptional style.

An open ATX layout with intelligent space utilization creates an unrestricted airflow path from the mesh front intakes directly through key components to exhaust, ensuring heat is never an issue. The Meshify C has a remarkably compact footprint with the high-end component support of a larger tower, and with seven fan mounts and multi-radiator liquid cooling capability, it has the cooling capacity to match.

When performance is top priority and compromise is not an option, Meshify has you covered in style.

Zusammenfassung

Meshify strikes an aggressive pose in the Fractal Design lineup with unparalleled cooling performance and a defiant new look. Like black diamond facets, the angular asymmetry of the Meshify C carves a space uniquely its own as a new force in high-airflow design. Tempered glass with a distinctive tint completes the stealth-inspired black-on-black aesthetic with exceptional style.

An open ATX layout with intelligent space utilization creates an unrestricted airflow path from the mesh front intakes directly through key components to exhaust, ensuring heat is never an issue. The Meshify C has a remarkably compact footprint with the high-end component support of a larger tower, and with seven fan mounts and multi-radiator liquid cooling capability, it has the cooling capacity to match.

When performance is top priority and compromise is not an option, Meshify has you covered in style.

Fractal Design Meshify C, Midi Tower, PC, Black, ATX, ITX, micro ATX, 17.5 cm, 31.5 cm

Fractal Design Meshify C. Form factor: Midi Tower, Type: PC, Product colour: Black. Power supply location: Bottom, Supported power supply form factors: ATX. Front fans installed: 1x 120 mm, Front fans diameters supported: 120,140 mm, Rear fans installed: 1x 120 mm. Supported HDD sizes: 2.5,3.5". Width: 217 mm, Depth: 409 mm, Height: 453 mm

Merkmale

Logistics data

Harmonized System (HS) 84733080 code

Other features

Easy to customize

Packaging content

Manual

Storage

Supported HDD sizes

Ports & interfaces

Audio input	Yes
Audio output	Yes
USB 3.2 Gen 1 (3.1 Gen 1)	2
Type-A ports quantity	

Yes

Yes

2.5,3.5"

Power supply includedNoPower supply locationBottomSupported power supply formATXfactorsFactors

Packaging data

Package width	295 mm
Package depth	543 mm
Package height	484 mm
Package weight	7.9 kg

Weight & dimensions

Width	217 mm
Depth	409 mm
Height	453 mm
Weight	6.5 kg

Design

Form factor	Midi Tower
Туре	PC
Product colour	Black
Supported motherboard form factors	ATX, ITX, micro ATX
Number of 3.5" bays	2
Number of 2.5" bays	3
Number of expansion slots	7
Side window	Yes
Illumination	No
Anti-dust filter	Yes
Cable management	Yes
LED indicators	Yes
Maximum CPU cooler height	17.5 cm
Maximum graphics card length	31.5 cm
Maximum PSU length	17.5 cm

Cooling

Front fans installed1x 120 mmNumber of front fans supported (max)3Front fans diameters supported number of rear fans supported (max)120,140 mmRear fans installed1x 120 mmNumber of rear fans supported (max)1Rear fans diameters supported (max)120 mmNumber of top fans supported (max)120 nmNumber of top fans supported (max)120,140 mmNumber of bottom fans supported (max)120,140 mmSottom fans diameters supported (max)120,140 mmNumber of bottom fans supported (max)120,140 mmNumber of supported (max)120,140 mmNumber of bottom fans supported (max)120,140 mmRear fans diameters supported (max)120 mmBottom fans diameters supported (max)120,140,240,280,360 mmFront radiator installed Rear radiator installed NoNoRear radiator installed Top radiator installedNoRear radiator installed Top radiator installedNoTop radiator installed Top radiator sizes supported120,240 mm			
(max) Front fans diameters supported 120,140 mm Rear fans installed 1x 120 mm Number of rear fans supported 1 (max) Rear fans diameters supported 22 (max) Top fans diameters supported 120 mm Number of bottom fans supported 120,140 mm Number of bottom fans supported 120,140 mm Number of bottom fans supported 120 mm Cooling Yes Front radiator installed No Front radiator installed No Front radiator installed No Rear radiator installed No	Front fans installed	1x 120 mm	
Rear fans installed1x 120 mmNumber of rear fans supported1(max)120 mmRear fans diameters supported2Number of top fans supported2(max)120,140 mmNumber of bottom fans supported120,140 mmNumber of bottom fans supported120 mmCoolingYesFront radiator installedNoFront radiator installedNoRear radiator installedNoRear radiator installedNoTop radiator installedNo		3	
Number of rear fans supported (max)1Rear fans diameters supported Number of top fans supported (max)120 mmTop fans diameters supported (max)120,140 mmNumber of bottom fans supported (max)120,140 mmSottom fans diameters supported (max)120 mmBottom fans diameters supported (max)120 mmCooling Front radiator installedNoFront radiator installed Rear radiator installedNoRear radiator installed Top radiator installedNoRear radiator installed NoNo	Front fans diameters supported	120,140 mm	
(max)Rear fans diameters supported120 mmNumber of top fans supported2(max)120,140 mmTop fans diameters supported120,140 mmNumber of bottom fans supported120,140 mmNumber of bottom fans supported120,00000000000000000000000000000000000	Rear fans installed	1x 120 mm	
Number of top fans supported (max)2Top fans diameters supported120,140 mmNumber of bottom fans supported120,140 mmNumber of bottom fans supported120 mm(max)YesBottom fans diameters supported120,140,240,280,360 mmFront radiator installedNoRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo		1	
(max)Top fans diameters supported120,140 mmNumber of bottom fans supported 1(max)Bottom fans diameters supported120 mmCoolingYesFront radiator installedNoFront radiator installed120,140,240,280,360 mmRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo	Rear fans diameters supported	120 mm	
Number of bottom fans supported 1(max)Bottom fans diameters supported 120 mmCoolingYesFront radiator installedNoFront radiator sizes supported120,140,240,280,360 mmRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo		2	
(max)Bottom fans diameters supported 120 mmCoolingYesFront radiator installedNoFront radiator sizes supported120,140,240,280,360 mmRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo	Top fans diameters supported	120,140 mm	
CoolingYesFront radiator installedNoFront radiator sizes supported120,140,240,280,360 mmRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo		d1	
Front radiator installedNoFront radiator sizes supported120,140,240,280,360 mmRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo	Bottom fans diameters supported 120 mm		
Front radiator sizes supported120,140,240,280,360 mmRear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo	Cooling	Yes	
Rear radiator installedNoRear radiator sizes supported120 mmTop radiator installedNo	Front radiator installed	No	
Rear radiator sizes supported120 mmTop radiator installedNo	Front radiator sizes supported	120,140,240,280,360 mm	
Top radiator installed No	Rear radiator installed	No	
•	Rear radiator sizes supported	120 mm	
Top radiator sizes supported 120,240 mm	Top radiator installed	No	
	Top radiator sizes supported	120,240 mm	

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.