Artikel Herstellernummer EAN Logitech 103673 960-001102 5099206072060



MeetUp is Logitech's premier ConferenceCam designed for small conference rooms and huddle rooms. With a room capturing, super-wide 120° field of view, MeetUp makes every seat at the table clearly visible. Motorized pan/tilt widens FOV even further: up to 175°. A low-distortion Logitech-engineered lens, UltraHD 4K optics, and three camera presets deliver remarkable video quality and further enhance face-to-face collaboration.

MeetUp's integrated audio is optimized for huddle room acoustics and delivers an exceptional sound experience. Three horizontallyaimed beamforming mics and a custom-tuned speaker help ensure your meetings sound as great as they look. Humans have evolved to associate human voices with their visible images. MeetUp's front-of-room audio provides an intuitive and coherent listening experience.

With a compact all-in-one design that minimizes cable clutter, MeetUp is USB plug-and-play and simply works right out of the box with any video conferencing software application and cloud service—including the ones you already use.

Zusammenfassung

MeetUp is Logitech's premier ConferenceCam designed for small conference rooms and huddle rooms. With a room capturing, superwide 120° field of view, MeetUp makes every seat at the table clearly visible. Motorized pan/tilt widens FOV even further: up to 175°. A low-distortion Logitech-engineered lens, UltraHD 4K optics, and three camera presets deliver remarkable video quality and further enhance face-to-face collaboration.

MeetUp's integrated audio is optimized for huddle room acoustics and delivers an exceptional sound experience. Three horizontallyaimed beamforming mics and a custom-tuned speaker help ensure your meetings sound as great as they look. Humans have evolved to associate human voices with their visible images. MeetUp's front-of-room audio provides an intuitive and coherent listening experience.

With a compact all-in-one design that minimizes cable clutter, MeetUp is USB plug-and-play and simply works right out of the box with any video conferencing software application and cloud service—including the ones you already use.

Logitech MeetUp, 4K Ultra HD, 3840 x 2160 pixels, 30 fps, 120°, Black

Logitech MeetUp. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels, Supported video modes: 720p, 1080p, 2160p, Maximum frame rate: 30 fps. Field of view (FOV) angle: 120°. Bluetooth. Product colour: Black

Merkmale

Battery

Battery capacity

Design

Product colour Black

Camera

		1 0 3	
Field of view (FOV) angle	120°	supported	
Number of camera presets	3	Minimum system requirements	2.4 GHz Intel® Core 2 Du
PTZ control	Yes		processor 2 GB RAM or n

Performance

Bluetooth	Yes	
Remote control type	RF Wireless	
Plug and Play	Yes	

0.675 Wh

Packaging data

Package width	125 mm
Package depth	470 mm
Package height	199 mm
Package weight	2.36 kg

Power

Power source type	Battery
Battery technology	Lithium
Battery capacity	220 mAh
Number of batteries	2
supported	

System requirements

Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Other operating systems supported	ChromeOS
Minimum system requirements	2.4 GHz Intel® Core 2 Duo processor 2 GB RAM or more USB 2.0 port (USB 3.0 required for 4k video)

Logistics data

Master (outer) case gross weight 5.1 kg		
Master (outer) case length	275 mm	
Master (outer) case width	208 mm	
Master (outer) case height	485 mm	
Harmonized System (HS) code	85258900	

Packaging content

Remote control included	Yes
Cables included	USB
USB cable length	5 m
Quick start guide	Yes
Mounting kit	Yes
Packaging content	Logitech MeetUp Table and wall mount 5-metre (16 ft) USB cable
	2-year manufacturer's guarantee

Video

HD type	4K Ultra HD
Maximum video resolution	3840 x 2160 pixels
Maximum frame rate	30 fps
Resolution at capture speed	1280x720@30fps,
	1920x1080@30fps,
	3840x2160@30fps
Supported video modes	720p, 1080p, 2160p
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 3840 x 2160

Weight & dimensions

Remote control dimensions (W x 83 x 10 x 83 mm H x D)		
Remote control weight	72 g	
Width	400 mm	
Depth	85 mm	
Height	104 mm	
Weight	1.04 kg	

Audio

Built-in microphone	Yes
Microphone frequency response	90 - 16000 Hz
Microphone sensitivity	-27 dB
Built-in speaker(s)	Yes
Audio beamforming	Yes
Echo cancellation	Yes
Noise reduction	Yes
Supported sample rates	32 kHz

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.