

Canon imageFORMULA DR-C230



Artikel	104007
Herstellernummer	2646C003
EAN	4528472107882
Canon	

A compact document scanner with the speed, power and flexibility to thrive in the most-demanding and fast-paced environments.

Compact, modern design and powerful efficiency-driving features

Small stature, big performance – the imageFORMULA DR-C230 offers consummate reliability and supreme productivity, at an affordable price point. This robust desktop scanner captures multiple document formats and sizes with ease.

Premium performance

With scan speeds of up to 30ppm and 60ipm, the imageFORMULA DR-C230 offers exceptional productivity at a pleasantly modest price point.

Class-leading reliability

The DR-C230 has been engineered to ensure maximum dependability. Its 60-sheet ADF seamlessly feeds various media sizes, delivering up to 3,500 scans per day.

Simple, swift scanning

This convenient desktop model allows users to scan with a single button press, and offers useful features such as automatic page size and text direction detection.

Broad software selection

Featuring an impressive range of applications, the DR-C230 has the tool for every job, with CapturePerfect and CaptureOnTouch V4 Pro included.

Cost-effective operation

Consuming just 19W in operation and 1.4W in standby, the DR-C230 is both environmentally and fiscally efficient, without compromising on performance.

Zusammenfassung

A compact document scanner with the speed, power and flexibility to thrive in the most-demanding and fast-paced environments.

Compact, modern design and powerful efficiency-driving features

Small stature, big performance – the imageFORMULA DR-C230 offers consummate reliability and supreme productivity, at an affordable price point. This robust desktop scanner captures multiple document formats and sizes with ease.

Premium performance

With scan speeds of up to 30ppm and 60ipm, the imageFORMULA DR-C230 offers exceptional productivity at a pleasantly modest

price point.

Class-leading reliability

The DR-C230 has been engineered to ensure maximum dependability. Its 60-sheet ADF seamlessly feeds various media sizes, delivering up to 3,500 scans per day.

Simple, swift scanning

This convenient desktop model allows users to scan with a single button press, and offers useful features such as automatic page size and text direction detection.

Broad software selection

Featuring an impressive range of applications, the DR-C230 has the tool for every job, with CapturePerfect and CaptureOnTouch V4 Pro included.

Cost-effective operation

Consuming just 19W in operation and 1.4W in standby, the DR-C230 is both environmentally and fiscally efficient, without compromising on performance.

Canon imageFORMULA DR-C230, 216 x 3000 mm, 600 x 600 DPI, 24 bit, 8 bit, 30 ppm, 30 ppm

Canon imageFORMULA DR-C230. Maximum scan size: 216 x 3000 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black. Sensor type: CMOS CIS, Daily duty cycle (max): 3500 pages, Light source: RGB LED. Standard input capacity: 60 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Media thickness (min): 0.06 mm

Merkmale

		Ports & interfaces	
Input capacity		USB port	Y
Standard input capacity	60 sheets	USB version	2.0
		Standard interfaces	USB 2.0
Logistics data		System requirements	
Harmonized System (HS) code	84716070	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Other features		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra
Scan media weight	27 - 209 g/m ²		
Technical details			
Sustainability certificates	RoHS, ENERGY STAR		
Operational conditions			
Operating temperature (T-T)	10 - 32.5 °C		
Operating relative humidity (H-20 - 80% H)			
Packaging content			
Cables included	AC, USB		
AC adapter included	Y		

Design

Scanner type	Sheet-fed scanner
Product colour	Black
Built-in display	N

Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016
------------------------------------	---

Performance

Sensor type	CMOS CIS
Light source	RGB LED
Daily duty cycle (max)	3500 pages
Scan drivers	ISIS, TWAIN

Weight & dimensions

Width	291 mm
Depth	253 mm
Height	231 mm
Weight	2.8 kg

Paper handling

Scanning media types supported	Business Card, Plastic Card
Multi feed detection	Y
Maximum ISO A-series paper size	A4
Media thickness (min)	0.06 mm
Maximum scan width	21.6 cm
Maximum scan length	3 m

Power

Power supply type	AC
Power consumption (typical)	19 W
Power consumption (standby)	1.4 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Input voltage	100-240 V

Scanning

Maximum scan size	216 x 3000 mm
Optical scanning resolution	600 x 600 DPI
Colour scanning	Y
Duplex scanning	Y
Output colour depth	24 bit
Output greyscale depth	8 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	30 ppm
ADF scan speed (colour, A4)	30 ppm
Duplex ADF scan speed (b/w, A4)	60 ipm
Duplex ADF scan speed (colour, A4)	60 ipm