HP E-Series E24 G4 computer monitor



Artikel Herstellernummer EAN HP 118175 9VF99AA 0194850079849

Enhance your entire viewing experience

Work comfortably and stay focused with the optimized ergonomics and Full HD resolution of the HP E24 G4 FHD Monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.

Zusammenfassung

Enhance your entire viewing experience

Work comfortably and stay focused with the optimized ergonomics and Full HD resolution of the HP E24 G4 FHD Monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.

HP E-Series E24 G4, 60.5 cm (23.8"), 1920 x 1080 pixels, Full HD, LCD, 5 ms, Black, Silver

HP E-Series E24 G4. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver

Merkmale

		Packaging data	
Logistics data		Package width	539.4 mm
		Package depth	207 mm
Harmonized System (HS)	85285210	Package height	494.9 mm
code		Package weight	8.4 kg
Packaging content		Weight & dimensions	3
Cables included AC, DisplayPort, HDMI, USB Type-A to USB Type-B, VGA	Width (with stand)	53.9 mm	
	Depth (with stand)	49.5 mm	
	Height (with stand)	20.7 mm	
	Weight (with stand)	5.7 kg	
Design		Width (without stand)	539.4 mm
	Depth (without stand)	4.7 mm	

Market positioning	Business	Height (
Product colour	Black, Silver	

Multimedia

Built-in speaker(s)	No
Built-in camera	No

Operational conditions

Operating temperature (T-T) 5 - 35 °C Operating relative humidity (H-20 - 80% H)

Performance

NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes

Other features

Weight	5.7 kg
Height	323.3 mm
Width	539.4 mm
Depth	47 mm

(without stand) 32.3 mm

Power

Energy efficiency class (SDR)	D
Energy consumption (SDR) per	14 kWh
1000 hours	
Power consumption (typical)	26 W
Power consumption (standby)	0.5 W
Power consumption (max)	51 W
Power consumption (off)	0.23 W
AC input voltage	100 - 240 V
Energy efficiency scale	A to G

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	No
Height adjustment	Yes
Height adjustment	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 23°
Tilt adjustment	Yes

Ports & interfaces

Duilt in LICD bub	Vee	
Built-in USB hub	Yes	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	
USB upstream port type	USB Type-B	
Number of USB Type-B upstream1 ports quantity		
USB Type-A downstream ports quantity	4	
VGA (D-Sub) ports quantity	1	
HDMI	Yes	
HDMI ports quantity	1	
HDMI version	1.4	
DisplayPorts quantity	1	
DisplayPort version	1.4	
Audio input	No	
Headphone out	No	
HDCP	Yes	

Display

Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LCD
Panel type	IPS
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	5 ms
Anti-glare screen	Yes
Screen shape	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800

	x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Pixel pitch	0.274 x 0.274 mm
Pixel density	93 ppi
Horizontal scan range	30 - 80 kHz
Vertical scan range	50 - 60 Hz
RGB colour space	NTSC
Colour gamut	72%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.