

DELL UltraSharp U2722DE LED display



Artikel	121335
Herstellernummer	DELL-U2722DE
EAN	5397184505014
DELL	

Connected productivity. Vibrant color.

Take your work to new heights with this 27-inch QHD monitor featuring outstanding connectivity, brilliant color coverage including DCI-P3, ComfortView Plus—an always on built-in low blue light screen—and USB-C port with up to 90W power delivery and Ethernet connectivity.

Zusammenfassung

Connected productivity. Vibrant color.

Take your work to new heights with this 27-inch QHD monitor featuring outstanding connectivity, brilliant color coverage including DCI-P3, ComfortView Plus—an always on built-in low blue light screen—and USB-C port with up to 90W power delivery and Ethernet connectivity.

DELL UltraSharp 27 USB-C Hub Monitor - U2722DE, 68.6 cm (27"), 2560 x 1440 pixels, Quad HD, LCD, 8 ms, Silver

DELL UltraSharp 27 USB-C Hub Monitor - U2722DE. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Silver

Merkmale

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Network

Wi-Fi	No
-------	----

Other features

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (with stand)	611.3 mm
Depth (with stand)	185 mm

Ethernet LAN (RJ-45) ports	1
----------------------------	---

Packaging data

Package weight	10 kg
----------------	-------

Multimedia

Built-in speaker(s)	No
Built-in camera	No

Packaging content

Cables included	AC, DisplayPort, HDMI, USB Type-C
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m

Design

Market positioning	Office
Product colour	Silver
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Heavy metals free	Hg (mercury)

Height (with stand)	535.1 mm
Weight (with stand)	6.59 kg
Width (without stand)	611.3 mm
Depth (without stand)	49.5 mm
Height (without stand)	352 mm
Weight (without stand)	4.78 kg
Bezel width (side)	7.3 mm
Bezel width (top)	7.3 mm
Bezel width (bottom)	9.05 mm

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Height adjustment	Yes
Height adjustment	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes
Tilt adjustment	Yes

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	20 kWh
Power consumption (typical)	20.4 W
Power consumption (standby)	0.3 W
Power consumption (max)	197 W
Power consumption (average)	20.4 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	20.32 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Ports & interfaces

Built-in USB hub	Yes
USB hub version	3.2 Gen 2 (3.1 Gen 2)
USB upstream port type	USB Type-C
Number of upstream ports	2
Number of USB Type-C upstream ports quantity	2
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery up to	90 W
DVI port	No
HDMI	Yes
HDMI ports quantity	1
HDMI version	1.4

DisplayPorts quantity	2
DisplayPort version	1.4
Audio output	Yes
Headphone connectivity	3.5 mm

Display

Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
HD type	Quad HD
Native aspect ratio	16:9
Display technology	LCD
Panel type	IPS
Backlight type	LED
Touchscreen	No
Display brightness (typical)	350 cd/m ²
Response time	8 ms
Anti-glare screen	Yes
Screen shape	Flat
Supported graphics resolutions	2560 x 1440
Supported video modes	480i, 480p, 576p, 720p, 1080i, 1080p
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Response time (fast)	5 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	108.78 ppi
Horizontal scan range	30 - 90 kHz
Vertical scan range	49 - 76 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Viewable size diagonal	68.5 cm
High Dynamic Range (HDR) supported	No
RGB colour space	sRGB
Colour gamut	100%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.