

DELL P Series P2722HE LED display



Artikel	121560
Herstellernummer	DELL-P2722HE
EAN	0884116398110
DELL	

Stay productive, no matter where you work. Reduce harmful blue light with this sleek 27-inch FHD hub monitor with ComfortView Plus.

Zusammenfassung

Stay productive, no matter where you work. Reduce harmful blue light with this sleek 27-inch FHD hub monitor with ComfortView Plus.

DELL P Series 27 USB-C Hub Monitor - P2722HE, 68.6 cm (27"), 1920 x 1080 pixels, Full HD, LCD, 8 ms, Black

DELL P Series 27 USB-C Hub Monitor - P2722HE. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Merkmale

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Network

Wi-Fi	No
-------	----

Multimedia

Built-in speaker(s)	No
Built-in camera	No

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m

Power

Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	17 kWh
Power consumption (typical)	14.5 W
Power consumption (standby)	0.3 W

Performance

Flicker-free technology	Yes
Low Blue Light technology	Yes

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT Gold, RoHS
Doesn't contain	PVC/BFR

Packaging content

Stand included	Yes
Cables included	AC, DisplayPort, USB
Quick start guide	Yes

Design

Market positioning	Business
Product colour	Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Heavy metals free	Hg (mercury)

Power consumption (max)	118 W
Power consumption (off)	0.2 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	609.9 mm
Depth (with stand)	190.1 mm
Height (with stand)	534.1 mm
Weight (with stand)	6.81 kg
Width (without stand)	609.9 mm
Depth (without stand)	52.1 mm
Height (without stand)	359.6 mm
Weight (without stand)	4.92 kg
Bezel width (side)	6.01 mm
Bezel width (top)	5.99 mm
Bezel width (bottom)	1.73 cm

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Height adjustment	Yes
Height adjustment	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes
LED indicators	Power
Tilt adjustment	Yes

Ports & interfaces

Built-in USB hub	Yes
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery up to	65 W
HDMI	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2
DisplayPort version	1.2
Headphone out	No
HDCP	Yes
AC (power) in	Yes

Display

--

Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LCD
Panel type	IPS
Backlight type	LED
Touchscreen	No
Display brightness (typical)	300 cd/m²
Response time	8 ms
Anti-glare screen	Yes
Screen shape	Flat
Supported graphics resolutions	1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080i, 1080p
Aspect ratio	16:9
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	82 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	50 - 76 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Viewable size diagonal	68.6 cm
Display diagonal (metric)	68.6 cm
High Dynamic Range (HDR) supported	No
Colour depth	8 bit
sRGB coverage (typical)	99%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.