

HP E24mv G4 computer monitor



Artikel	123893
Herstellernummer	169L0AA#ABB
EAN	0195122021795
HP	

Present Your Best Self

Make a great impression on video calls on this 60.45 cm (23.8-inch) full HD conferencing monitor. The integrated, 5MP tilt-adjustable pop-up webcam displays a sharp, detailed picture – even in low light – and the built-in speakers and mic produce clear, life-like sound. Everything you need to present your best self on every call. ^[1]

Zusammenfassung

Present Your Best Self

Make a great impression on video calls on this 60.45 cm (23.8-inch) full HD conferencing monitor. The integrated, 5MP tilt-adjustable pop-up webcam displays a sharp, detailed picture – even in low light – and the built-in speakers and mic produce clear, life-like sound. Everything you need to present your best self on every call. ^[1]

HP E24mv G4, 60.5 cm (23.8"), 1920 x 1080 pixels, Full HD, 5 ms, Black, Silver

HP E24mv G4. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Silver

Merkmale

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Packaging content

Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B
-----------------	---

Design

Market positioning	Business
Product colour	Black, Silver
Detachable stand	Yes
Country of origin	China
Certification	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; ENERGY STAR®; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TCO Certified; TCO Certified Edge; TUV/GS; VCCI; Vietnam MEPS; WEEE; Low blue

Performance

Low Blue Light technology	Yes
HP segment	Business

Multimedia

Built-in speaker(s)	Yes
Built-in camera	Yes
Number of speakers	2
RMS rated power	2 W

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-T0 - 80% H)	
Operating altitude	0 - 5 m
Non-operating altitude	0 - 12.192 m

Other features

Weight	6.5 kg
Height	355.6 mm
Width	539.4 mm
Depth	47 mm

Power

Energy efficiency class (SDR)	E
Power consumption (typical)	28 W
Power consumption (standby)	0.5 W
Power consumption (max)	50 W

light; WW application; UAE; Ukraine certificates

Packaging data

Package width	539.4 mm
Package depth	216 mm
Package height	530.7 mm
Package weight	10.4 kg
Package type	Box

Weight & dimensions

Width (with stand)	53.9 mm
Depth (with stand)	53.1 mm
Height (with stand)	21.6 mm
Weight (with stand)	6.5 kg
Width (without stand)	539.4 mm
Depth (without stand)	4.7 mm
Height (without stand)	35.6 mm

Ports & interfaces

Built-in USB hub	Yes
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
HDMI	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio output	Yes
Headphone out	No

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Height adjustment	Yes
Height adjustment	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 23°
Tilt adjustment	Yes

Display

Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Panel type	IPS
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	5 ms

Anti-glare screen	Yes
Screen shape	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 800, 1440 x 900 (WXGA+), 1440 x 900, 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)
Contrast ratio (typical)	1000:1
Contrast ratio (dynamic)	5000000:1
Maximum refresh rate	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.274 x 0.274 mm
Horizontal scan range	30 - 80 kHz
Vertical scan range	50 - 60 Hz
Display diagonal (metric)	60.45 cm
Surface hardness	3H
RGB colour space	NTSC
Colour gamut	72%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.