# FRITZ!Repeater 1200 AX



Artikel Herstellernummer EAN AVM 124378 20002974 4023125029745

### More Wi-Fi in every room with Wi-Fi 6

Compact and powerful: The FRITZ!Repeater 1200 AX gives your network a boost and supports Wi-Fi 6. The intelligent FRITZ! Mesh ensures convenient setup and top Wi-Fi reception at all times.

#### More Wi-Fi everywhere - with Wi-Fi 6

The new Wi-Fi 6 standard meets the needs of networks with the constantly increasing numbers of wireless devices. From smartphones, notebooks and speakers to 4K smart TVs: more and more devices are being used simultaneously on your Wi-Fi. Wi-Fi 6 optimally integrates every device into the home network, meaning you always have a reliable data connection.

The FRITZ!Repeater 1200 AX supports Wi-Fi 6 in the 2.4 GHz spectrum as well as in the 5 GHz band, including even 160 MHz wide Wi-Fi channels that enable speeds of up to 2400 Mbit/s.

# Mesh Wi-Fi with FRITZ!

The FRITZ!Repeater 1200 AX supports Mesh Wi-Fi, meaning your videos, music and photos seamlessly reach every corner of your home, apartment or office. How does it work? The FRITZ! devices work together as part of a single network, communicating with each other and optimizing wireless devices and network usage.

With Mesh you enjoy high speeds while surfing, streaming or gaming. Instead of waiting for breathtaking HD television and your favorite music, your media will wait for you.

#### Connect and go

Setting up the FRITZ!Repeater 1200 AX is super easy: plug it in, press the button and the FRITZ!Repeater and FRITZ!Box or a WPS-enabled router connect automatically. The FRITZ!Repeater adopts the Wi-Fi settings and is ready for use immediately. The FRITZ!App WLAN helps you find the ideal position for your FRITZ!Repeater.

#### Gigabit via LAN cable or Wi-Fi

The FRITZ!Repeater 1200 AX connects to the Wi-Fi of your FRITZ!Box and provides its own network: This gives you more Wi-Fi range, without any cables. With its gigabit LAN port, the repeater can integrate network-enabled devices without Wi-Fi into the home network e.g. a smart TV or a printer.

Alternatively, the FRITZ!Repeater can be connected via a LAN cable or using a powerline adapter. This means even longer distances can be bridged effortlessly.

#### Easy to operate and update

From the ideal placement to the optimum Wi-Fi channel: The repeater supports you with multi-colored LEDs, software wizards and a clear, user-friendly interface. The FRITZ!Repeater 1200 AX also benefits from new features provided in free updates.

#### Secure encryption for Wi-Fi networks

The FRITZ!Repeater 1200 AX supports secure WPA2 encryption, as well as the new WPA3 standard. This allows the repeater to

establish secure connections to modern routers and your Wi-Fi is well protected.

# Zusammenfassung

#### More Wi-Fi in every room with Wi-Fi 6

Compact and powerful: The FRITZ!Repeater 1200 AX gives your network a boost and supports Wi-Fi 6. The intelligent FRITZ! Mesh ensures convenient setup and top Wi-Fi reception at all times.

#### More Wi-Fi everywhere - with Wi-Fi 6

The new Wi-Fi 6 standard meets the needs of networks with the constantly increasing numbers of wireless devices. From smartphones, notebooks and speakers to 4K smart TVs: more and more devices are being used simultaneously on your Wi-Fi. Wi-Fi 6 optimally integrates every device into the home network, meaning you always have a reliable data connection.

The FRITZ!Repeater 1200 AX supports Wi-Fi 6 in the 2.4 GHz spectrum as well as in the 5 GHz band, including even 160 MHz wide Wi-Fi channels that enable speeds of up to 2400 Mbit/s.

#### Mesh Wi-Fi with FRITZ!

The FRITZ!Repeater 1200 AX supports Mesh Wi-Fi, meaning your videos, music and photos seamlessly reach every corner of your home, apartment or office. How does it work? The FRITZ! devices work together as part of a single network, communicating with each other and optimizing wireless devices and network usage.

With Mesh you enjoy high speeds while surfing, streaming or gaming. Instead of waiting for breathtaking HD television and your favorite music, your media will wait for you.

#### Connect and go

Setting up the FRITZ!Repeater 1200 AX is super easy: plug it in, press the button and the FRITZ!Repeater and FRITZ!Box or a WPS-enabled router connect automatically. The FRITZ!Repeater adopts the Wi-Fi settings and is ready for use immediately. The FRITZ!App WLAN helps you find the ideal position for your FRITZ!Repeater.

#### Gigabit via LAN cable or Wi-Fi

The FRITZ!Repeater 1200 AX connects to the Wi-Fi of your FRITZ!Box and provides its own network: This gives you more Wi-Fi range, without any cables. With its gigabit LAN port, the repeater can integrate network-enabled devices without Wi-Fi into the home network e.g. a smart TV or a printer.

Alternatively, the FRITZ!Repeater can be connected via a LAN cable or using a powerline adapter. This means even longer distances can be bridged effortlessly.

## Easy to operate and update

From the ideal placement to the optimum Wi-Fi channel: The repeater supports you with multi-colored LEDs, software wizards and a clear, user-friendly interface. The FRITZ!Repeater 1200 AX also benefits from new features provided in free updates.

## Secure encryption for Wi-Fi networks

The FRITZ!Repeater 1200 AX supports secure WPA2 encryption, as well as the new WPA3 standard. This allows the repeater to establish secure connections to modern routers and your Wi-Fi is well protected.

FRITZ!Repeater 1200 AX, 3000 Mbit/s, IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11g, IEEE 802.11n, Type F, Gigabit Ethernet, 10,100,1000 Mbit/s, Wi-Fi 6 (802.11ax)

FRITZ!Repeater 1200 AX. Maximum data transfer rate: 3000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.1

## Merkmale

		Weight & dimen	Weight & dimensions	
Packaging content		Width	80 mm	
		Depth	80 mm	
Quantity per pack	1 pc(s)	Height	37 mm	
		Weight	160 g	

# Design

Antenna type	Internal
Product colour	White
Dower	

#### Power

Power consumption (typical)	4 W
AC input voltage	230 V
AC input frequency	50 Hz

# **Performance**

Maximum data transfer rate	3000 Mbit/s
Ethernet LAN	Υ
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Ethernet LAN (RJ-45) ports	1
Wi-Fi	Υ
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Wi-Fi standards	802.11a, 802.11g, Wi-Fi 4
	(802.11n), Wi-Fi 5 (802.11ac), Wi-
	Fi 6 (802.11ax)
Networking standards	IEEE 802.11a, IEEE 802.11ac,
	IEEE 802.11ax, IEEE 802.11g,
	IEEE 802.11n
Power plug	Type F
Built-in power socket	N
Security algorithms	WPA, WPA2, WPA3, WPS

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.