

Canon imageFORMULA DR-M260



Artikel	124644
Herstellernummer	2405C003
EAN	4528472107707
Canon	

Robust, reliable, high-speed document scanner, offering impressive image quality and fast capture speeds.

Productivity-boosting, elegantly designed desktop scanner

The compact imageFORMULA DR-M260 has a small frame, yet produces a big performance. This dependable scanner is packed with innovative features and delivers outstanding image quality, with capture speeds of up to 60 ppm/120 ipm.

Slender, modern design

With its contemporary, compact body, the imageFORMULA DR-M260 integrates seamlessly into a wide variety of customer-facing environments.

Fast scanning speeds

The new on-board processing chip takes the strain away from PCs, unlocking scanning speeds of up to 60 ppm in black and white, and 60 ppm in full colour.

Virtuoso versatility

The DR-M260 tackles media from 27 g/m2 up to 413 g/m2, and furthers its flexible credentials by accepting credit cards, passports, and long-form documents.

Zusammenfassung

Robust, reliable, high-speed document scanner, offering impressive image quality and fast capture speeds.

Productivity-boosting, elegantly designed desktop scanner

The compact imageFORMULA DR-M260 has a small frame, yet produces a big performance. This dependable scanner is packed with innovative features and delivers outstanding image quality, with capture speeds of up to 60 ppm/120 ipm.

Slender, modern design

With its contemporary, compact body, the imageFORMULA DR-M260 integrates seamlessly into a wide variety of customer-facing environments.

Fast scanning speeds

The new on-board processing chip takes the strain away from PCs, unlocking scanning speeds of up to 60 ppm in black and white, and 60 ppm in full colour.

Virtuoso versatility

The DR-M260 tackles media from 27 g/m2 up to 413 g/m2, and furthers its flexible credentials by accepting credit cards, passports, and long-form documents.

Canon imageFORMULA DR-M260, 216 x 5588 mm, 600 x 600 DPI, 24 bit, 8 bit, 60 ppm, 60 ppm

Canon imageFORMULA DR-M260. Maximum scan size: 216 x 5588 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black, Display: LCD. Sensor type: CMOS CIS, Daily duty cycle (max): 7500 pages, Light source: RGB LED. Standard input capacity: 80 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), Media thickness (min): 0.04 mm

Merkmale

Input capacity

Standard input capacity 80 sheets

Logistics data

Harmonized System (HS) code 84716070

Other features

Scan media weight 27 - 413 g/m²

Packaging content

Cables included AC, USB
AC adapter included Y

System requirements

Windows operating systems supported Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64

Server operating systems supported Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016

Design

Scanner type Sheet-fed scanner
Product colour Black
Display LCD
Built-in display Y

Weight & dimensions

Width 180 mm
Depth 178 mm
Height 285 mm
Weight 3.6 kg

Paper handling

Scanning media types supported Business Card, Plastic Card, Post Card(JPN)
Maximum ISO A-series paper size A4
Media thickness (min) 0.04 mm
Maximum scan width 21.6 cm
Maximum scan length 5.59 m

Performance

Sensor type CMOS CIS
Light source RGB LED
Scan file formats PDF
Daily duty cycle (max) 7500 pages
Scan drivers ISIS, TWAIN

Power

Power supply type AC
Power consumption (typical) 23 W
Power consumption (standby) 1.4 W
Power consumption (off) 0.1 W
AC input frequency 50 - 60 Hz
Input voltage 100-240 V

Scanning

Maximum scan size 216 x 5588 mm
Optical scanning resolution 600 x 600 DPI
Colour scanning Y
Duplex scanning Y
Output colour depth 24 bit

Ports & interfaces

USB port	Y
USB version	3.2 Gen 2 (3.1 Gen 2)
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Output greyscale depth	8 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	60 ppm
ADF scan speed (colour, A4)	60 ppm
Duplex ADF scan speed (b/w, A4)	120 ipm
Duplex ADF scan speed (colour, A4)	120 ipm

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.