

ASUS PRIME B660-PLUS D4



Artikel

125027

Herstellernummer

90MB18X0-M1EAY0

EAN

4711081523017

ASUS

ASUS Prime series motherboards are expertly engineered to unleash the full potential of 12th Generation Intel® processors. Boasting a robust power design, comprehensive cooling solutions and intelligent tuning options, Prime B660 provides users and PC DIY builders a range of performance tuning options via intuitive software and firmware features.

FLEXIBILITY

Comprehensive controls form the foundation of the ASUS Prime series. The Prime B660 motherboard packs flexible tools to tune every aspect of your system, enabling performance tweaks to perfectly match the way you work to maximize productivity.

Intelligent Control

All-Around Energy Efficiency

The Energy Processing Unit (EPU) automatically optimizes power consumption and maximizes energy savings with Away mode — a smart setting that creates an extreme energy-saving scenario by shutting down unused I/O controllers.

Flexible Air- and Liquid-Cooling Controls

ASUS Fan Xpert 2+ software provides comprehensive control over fans, water pumps and all-in-one (AiO) coolers. Whether cooling with air or water, an Auto-Tuning mode intelligently configures all parameters with a single click. There's also an Extreme Quiet mode that reduces all fan speeds to below the default minimum to keep your system whisper-quiet when performing light tasks. Fans, water pumps and AiO coolers can also be controlled via the UEFI BIOS.

Precise Digital Power Control

The Digi+ voltage-regulator module (VRM) delivers real-time control over voltage droop, automatically switching frequency and power-efficiency settings. It also allows you to fine-tune your CPU for ultimate stability and performance.

UEFI BIOS

The renowned ASUS UEFI BIOS provides everything you need to configure, tweak and tune your system. It offers intelligently simplified options for PC DIY beginners, as well as comprehensive features for seasoned veterans.

Advanced Tuning for Serious Tweakers

An intuitive Advanced mode offered via the UEFI lets you take complete control. A built-in search feature makes it easy to find options, and various advanced functions let you intelligently make nuanced adjustments so you can dial in performance just the way you want.

Quick and Simple Setup

EZ mode displays vital settings and stats and also offers guided wizards, drag-and-drop functionality, and one-click application of important settings — all to help you get your rig up and running in no time.

AI Overclocking

Enable AI Overclocking via a shortcut.

Intuitive Graphical Fan Control

Fine-tune individual fan settings simply by dragging a curve with the mouse.

Aura On/Off Mode (Stealth)

Easily enable or disable Aura RGB lighting or every onboard LED, for a subdued aesthetic touch.

COOLING

Prime B660 series are engineered with multiple onboard heatsinks and an array of hybrid fan headers to ensure your rig stays cool and stable under intense workloads.

Heatsinks

M.2 Heatsink

M.2 heatsink wards off throttling that can occur with M.2 storage during sustained transfers. The heatsink is held in place by captive screws.

VRM Heatsink and Thermal Pads

VRM heatsink and thermal pads improve heat transfer from the MOSFETs and chokes for better cooling performance.

Cooler by Design

Prime B660 series feature comprehensive cooling controls that are configurable via Fan Xpert 2+ software or via the UEFI BIOS.

Multiple Temperature Sources

Each header can dynamically reference three thermal sensors. Fan Xpert 2+ allows you to map the temperature of supported ASUS graphics cards to optimize cooling for GPU- and CPU-intensive tasks.

AIO pump Header

A dedicated PWM/DC header for self-contained water-cooling setups.

*AIO Pump header supports 1 amp, and Water Pump+ header supports 3 amps.

Smart Protection

A dedicated integrated circuit protects each fan header from overheating and overcurrent.

4-Pin PWM/DC Fan

Each onboard header supports auto-detection of PWM or DC fans.

PERFORMANCE

Prime B660 series are built to handle the additional cores and increased bandwidth of 12th Generation Intel® processors. ASUS B660 motherboards provide all the fundamentals to boost daily productivity, so your system will be ready for action with stable power, intuitive cooling and flexible transfer options.

Robust Power Design

Stable power is essential to extract every last bit of performance out of 12th Generation Intel processors. Prime B660-PLUS D4 is geared to cater to the demands of these high-core-count CPUs.

ProCool Connector

Proprietary connector augments the motherboard's link to the PSU with 8 pin connector that passes 12 volts of power directly to the processors. Each jack features solid pins that can handle more current than hollow-pin connectors.

Memory

DDR4 5066(OC)

Improvements to trace routing design provide the latest Intel processors with enhanced access to memory bandwidth. ASUS OptiMem technology carefully maps memory signal pathways across different PCB layers to reduce path distance, and it adds shielding zones that significantly reduce crosstalk.

ASUS OptiMem

Revisions to the motherboard's trace routing provide the latest Intel processors with unrestricted access to memory bandwidth. ASUS OptiMem technology carefully maps memory signal pathways across different PCB layers to reduce vias and adds shielding zones that significantly reduce crosstalk.

ASUS OptiMem benefits:

Improved memory stability and compatibility

Allows lower memory latencies at equivalent voltages

Improved memory frequency margin

Motherboards with OptiMem technology were tested with Synopsys HSPICE simulation software

Storage

Three M.2 slots (up to 64 Gbps)

Prime B660-PLUS D4 offers a total of three M.2 slots that support data-transfer speeds of up to 64 Gbps via PCIe® 4.0, enabling quicker boot-up and app load times with OS or application drives.

* Actual transmission speeds will be lower than the theoretical maximum speed.

* The M.2_1 and M.2_2 support PCIe4.0x4, M.2_3 supports PCIe4.0 x2

Connectivity

PCIe® 4.0 Slot

Prime B660 motherboards are designed specifically for 12th Generation Intel® Core™ CPUs and offer PCIe® 4.0 connectivity for the latest GPUs. The wide bandwidth and superfast transmission speeds allow you to create feature-rich builds that can handle high loads effortlessly.

USB 3.2 Gen 2x2 Type-C®

Numerous USB ports support high-end rigs loaded with peripherals, including rear USB Type-C® connectors with fast USB 3.2 Gen 2x2 for transmission speeds of up to 20 Gbps.

Thunderbolt™ 4 Support

Prime B660-PLUS D4 features Thunderbolt™ 4 support via an on-board header. With the latest Intel-certified ASUS ThunderboltEX 4 add-on card, it can enable bi-directional speeds of up to 40 Gbps on a single cable. Additionally, this card has a daisy-chain function for multi-screen connection and supports up to an 8K resolution display. It can also provide up to 100 watts of power to fast-charge devices.

Realtek 2.5 Gb Ethernet

2.5Gb Ethernet Connection reduces CPU overhead and offers faster, smoother data transfer.

Personalization

Aura Sync

Outshine the Competition

A well-tuned enthusiast system deserves a matching aesthetic. ASUS Aura offers full RGB lighting control with a variety of functional presets for the built-in RGB LEDs as well as strips and devices connected to the onboard RGB headers — and it can all be synced with an ever-growing portfolio of Aura-capable hardware.

Addressable Gen 2 Headers

Three addressable Gen 2 headers are capable of detecting the number of LEDs on second-gen addressable RGB devices, allowing the software to automatically tailor lighting effects to specific devices. The new headers also offer backward-compatibility with existing Aura RGB gear.

Armoury Crate

Armoury Crate is a new software utility designed to give you centralized control of supported products. From a single intuitive interface, Armoury Crate allows you to easily customize RGB lighting and effects for every compatible device in your arsenal. The software also provides control of settings for an ever-growing number of ASUS products, including keyboard and mouse preferences. Armoury Crate even features dedicated product registration and news to help you stay in touch with the ASUS community.

Q-LED

The on-board Q-LED troubleshooting lights give PC builders a quick indicator to confirm that key components ? CPU, RAM, graphics card, storage devices ? are functioning normally during startup.

SafeSlot Core+

SafeSlot Core+ is the ASUS-exclusive PCIe slot fortified with a one-piece stainless-steel brace that shields the slot to protect it from damage. The metal cover is tightly secured to the slot with hooks, and the entire assembly is firmly anchored to the PCB with strengthened solder points to provide a secure foundation for heavyweight graphics cards.

Strengthened solder points around the PCIe and DIMM pins.

Metal inserts keep graphics cards properly aligned during installation.

The metal side-panels feature hooks that firmly clasp the slot body.

LANGuard

Pumped-up throughput 2.5X higher surge tolerance

ASUS LANGuard is a hardware-level network protection feature that integrates advanced signal-coupling technology and premium

anti-EMI surface-mounted capacitors to improve throughput and ensure a more reliable connection.

Overvoltage Protection

World-class circuit-protecting power design

An exclusive circuit design with built-in voltage regulators to protect your motherboard from damage caused by unexpected high-level voltages from unstable or inferior power supplies.

DRAM Overcurrent Protection

Short-circuit damage prevention

Onboard resettable fuses prevent overcurrent and short-circuit damage. This extends beyond I/O ports to DRAM to safeguard the lifespan of your system and connected devices.

Stainless-Steel Back I/O

3X corrosion-resistance for greater durability

Corrosion-resistant stainless-steel back I/O panels bonded with chromium oxide have a lifespan that's three times longer than ordinary panels.

Zusammenfassung

ASUS Prime series motherboards are expertly engineered to unleash the full potential of 12th Generation Intel® processors. Boasting a robust power design, comprehensive cooling solutions and intelligent tuning options, Prime B660 provides users and PC DIY builders a range of performance tuning options via intuitive software and firmware features.

FLEXIBILITY

Comprehensive controls form the foundation of the ASUS Prime series. The Prime B660 motherboard packs flexible tools to tune every aspect of your system, enabling performance tweaks to perfectly match the way you work to maximize productivity.

Intelligent Control

All-Around Energy Efficiency

The Energy Processing Unit (EPU) automatically optimizes power consumption and maximizes energy savings with Away mode — a smart setting that creates an extreme energy-saving scenario by shutting down unused I/O controllers.

Flexible Air- and Liquid-Cooling Controls

ASUS Fan Xpert 2+ software provides comprehensive control over fans, water pumps and all-in-one (AiO) coolers. Whether cooling with air or water, an Auto-Tuning mode intelligently configures all parameters with a single click. There's also an Extreme Quiet mode that reduces all fan speeds to below the default minimum to keep your system whisper-quiet when performing light tasks. Fans, water pumps and AiO coolers can also be controlled via the UEFI BIOS.

Precise Digital Power Control

The Digi+ voltage-regulator module (VRM) delivers real-time control over voltage droop, automatically switching frequency and power-efficiency settings. It also allows you to fine-tune your CPU for ultimate stability and performance.

UEFI BIOS

The renowned ASUS UEFI BIOS provides everything you need to configure, tweak and tune your system. It offers intelligently simplified options for PC DIY beginners, as well as comprehensive features for seasoned veterans.

Advanced Tuning for Serious Tweakers

An intuitive Advanced mode offered via the UEFI lets you take complete control. A built-in search feature makes it easy to find options, and various advanced functions let you intelligently make nuanced adjustments so you can dial in performance just the way you want.

Quick and Simple Setup

EZ mode displays vital settings and stats and also offers guided wizards, drag-and-drop functionality, and one-click application of important settings — all to help you get your rig up and running in no time.

AI Overclocking

Enable AI Overclocking via a shortcut.

Intuitive Graphical Fan Control

Fine-tune individual fan settings simply by dragging a curve with the mouse.

Aura On/Off Mode (Stealth)

Easily enable or disable Aura RGB lighting or every onboard LED, for a subdued aesthetic touch.

COOLING

Prime B660 series are engineered with multiple onboard heatsinks and an array of hybrid fan headers to ensure your rig stays cool and stable under intense workloads.

Heatsinks

M.2 Heatsink

M.2 heatsink wards off throttling that can occur with M.2 storage during sustained transfers. The heatsink is held in place by captive screws.

VRM Heatsink and Thermal Pads

VRM heatsink and thermal pads improve heat transfer from the MOSFETs and chokes for better cooling performance.

Cooler by Design

Prime B660 series feature comprehensive cooling controls that are configurable via Fan Xpert 2+ software or via the UEFI BIOS.

Multiple Temperature Sources

Each header can dynamically reference three thermal sensors. Fan Xpert 2+ allows you to map the temperature of supported ASUS graphics cards to optimize cooling for GPU- and CPU-intensive tasks.

AIO pump Header

A dedicated PWM/DC header for self-contained water-cooling setups.

*AIO Pump header supports 1 amp, and Water Pump+ header supports 3 amps.

Smart Protection

A dedicated integrated circuit protects each fan header from overheating and overcurrent.

4-Pin PWM/DC Fan

Each onboard header supports auto-detection of PWM or DC fans.

PERFORMANCE

Prime B660 series are built to handle the additional cores and increased bandwidth of 12th Generation Intel® processors. ASUS B660 motherboards provide all the fundamentals to boost daily productivity, so your system will be ready for action with stable power, intuitive cooling and flexible transfer options.

Robust Power Design

Stable power is essential to extract every last bit of performance out of 12th Generation Intel processors. Prime B660-PLUS D4 is geared to cater to the demands of these high-core-count CPUs.

ProCool Connector

Proprietary connector augments the motherboard's link to the PSU with 8 pin connector that passes 12 volts of power directly to the processors. Each jack features solid pins that can handle more current than hollow-pin connectors.

Memory

DDR4 5066(OC)

Improvements to trace routing design provide the latest Intel processors with enhanced access to memory bandwidth. ASUS OptiMem technology carefully maps memory signal pathways across different PCB layers to reduce path distance, and it adds shielding zones that significantly reduce crosstalk.

ASUS OptiMem

Revisions to the motherboard's trace routing provide the latest Intel processors with unrestricted access to memory bandwidth. ASUS OptiMem technology carefully maps memory signal pathways across different PCB layers to reduce vias and adds shielding zones that significantly reduce crosstalk.

ASUS OptiMem benefits:

Improved memory stability and compatibility

Allows lower memory latencies at equivalent voltages

Improved memory frequency margin

Motherboards with OptiMem technology were tested with Synopsys HSPICE simulation software

Storage

Three M.2 slots (up to 64 Gbps)

Prime B660-PLUS D4 offers a total of three M.2 slots that support data-transfer speeds of up to 64 Gbps via PCIe® 4.0, enabling quicker boot-up and app load times with OS or application drives.

* Actual transmission speeds will be lower than the theoretical maximum speed.

* The M.2_1 and M.2_2 support PCIe4.0x4, M.2_3 supports PCIe4.0 x2

Connectivity

PCIe® 4.0 Slot

Prime B660 motherboards are designed specifically for 12th Generation Intel® Core™ CPUs and offer PCIe® 4.0 connectivity for the latest GPUs. The wide bandwidth and superfast transmission speeds allow you to create feature-rich builds that can handle high loads effortlessly.

USB 3.2 Gen 2x2 Type-C®

Numerous USB ports support high-end rigs loaded with peripherals, including rear USB Type-C® connectors with fast USB 3.2 Gen 2x2 for transmission speeds of up to 20 Gbps.

Thunderbolt™ 4 Support

Prime B660-PLUS D4 features Thunderbolt™ 4 support via an on-board header. With the latest Intel-certified ASUS ThunderboltEX 4 add-on card, it can enable bi-directional speeds of up to 40 Gbps on a single cable. Additionally, this card has a daisy-chain function for multi-screen connection and supports up to an 8K resolution display. It can also provide up to 100 watts of power to fast-charge devices.

Realtek 2.5 Gb Ethernet

2.5Gb Ethernet Connection reduces CPU overhead and offers faster, smoother data transfer.

Personalization

Aura Sync

Outshine the Competition

A well-tuned enthusiast system deserves a matching aesthetic. ASUS Aura offers full RGB lighting control with a variety of functional presets for the built-in RGB LEDs as well as strips and devices connected to the onboard RGB headers — and it can all be synced with an ever-growing portfolio of Aura-capable hardware.

Addressable Gen 2 Headers

Three addressable Gen 2 headers are capable of detecting the number of LEDs on second-gen addressable RGB devices, allowing the software to automatically tailor lighting effects to specific devices. The new headers also offer backward-compatibility with existing Aura RGB gear.

Armoury Crate

Armoury Crate is a new software utility designed to give you centralized control of supported products. From a single intuitive interface, Armoury Crate allows you to easily customize RGB lighting and effects for every compatible device in your arsenal. The software also provides control of settings for an ever-growing number of ASUS products, including keyboard and mouse preferences. Armoury Crate even features dedicated product registration and news to help you stay in touch with the ASUS community.

Q-LED

The on-board Q-LED troubleshooting lights give PC builders a quick indicator to confirm that key components ? CPU, RAM, graphics card, storage devices ? are functioning normally during startup.

SafeSlot Core+

SafeSlot Core+ is the ASUS-exclusive PCIe slot fortified with a one-piece stainless-steel brace that shields the slot to protect it from damage. The metal cover is tightly secured to the slot with hooks, and the entire assembly is firmly anchored to the PCB with strengthened solder points to provide a secure foundation for heavyweight graphics cards.

Strengthened solder points around the PCIe and DIMM pins.

Metal inserts keep graphics cards properly aligned during installation.

The metal side-panels feature hooks that firmly clasp the slot body.

LANGuard

Pumped-up throughput 2.5X higher surge tolerance

ASUS LANGuard is a hardware-level network protection feature that integrates advanced signal-coupling technology and premium anti-EMI surface-mounted capacitors to improve throughput and ensure a more reliable connection.

Overvoltage Protection

World-class circuit-protecting power design

An exclusive circuit design with built-in voltage regulators to protect your motherboard from damage caused by unexpected high-level voltages from unstable or inferior power supplies.

DRAM Overcurrent Protection

Short-circuit damage prevention

Onboard resettable fuses prevent overcurrent and short-circuit damage. This extends beyond I/O ports to DRAM to safeguard the lifespan of your system and connected devices.

Stainless-Steel Back I/O

3X corrosion-resistance for greater durability

Corrosion-resistant stainless-steel back I/O panels bonded with chromium oxide have a lifespan that's three times longer than ordinary panels.

ASUS PRIME B660-PLUS D4, Intel, LGA 1700, Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,..., LGA 1700, DDR4-SDRAM, 128 GB

ASUS PRIME B660-PLUS D4. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,... Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, PCI Express 4.0, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. USB connector type: USB Type-A, USB Type-C. Ethernet interface type: 2.5 Gigabit Ethernet

Merkmale

Logistics data		Processor	
Harmonized System (HS) code	84733020	Processor manufacturer	Intel
		Processor socket	LGA 1700
		Compatible processor series	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold
Other features		Supported processor sockets	LGA 1700
Weight	891 g	Storage controllers	
Packaging content		Supported storage drive types	HDD & SSD
Cables included	SATA	Supported storage drive interfaces	M.2, PCI Express 4.0, SATA III
BIOS		Number of HDDs supported	4
BIOS type	UEFI AMI	Number of storage drives supported	7
BIOS memory size	128 Mbit	RAID support	Yes
Clear CMOS jumper	Yes	RAID levels	0, 1, 5, 10
Network		Features	
Ethernet LAN	Yes	Motherboard chipset	Intel B660
Ethernet interface type	2.5 Gigabit Ethernet	Audio output channels	7.1 channels
Wi-Fi	No	Component for	PC
Weight & dimensions		Motherboard form factor	ATX
		Motherboard chipset family	Intel
		Power source type	ATX
		Windows operating systems supported	Windows 10 x64, Windows 11 x64

Width	305 mm
Depth	244 mm
Height	53 mm

Expansion slots

PCI Express x1 (Gen 3.x) slots	2
PCI Express x16 (Gen 3.x) slots	1
PCI Express x16 (Gen 4.x) slots	1
Number of M.2 (M) slots	3

Memory

Supported memory types	DDR4-SDRAM
Number of memory slots	4
Memory slots type	DIMM
Memory channels	Dual-channel
ECC ?ompatibility	Non-ECC
Supported memory clock speeds	2133,2400,2666,2800,2933,3000,3333,3400,3466,3600,3733,3866,4000,4266,4400,4600,4800,5000,5066 MHz
Maximum internal memory	128 GB
Unbuffered memory	Yes

Rear panel I/O ports

USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Ethernet LAN (RJ-45) ports	1
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone outputs	3
USB connector type	USB Type-A, USB Type-C

Internal I/O

USB 2.0 connectors	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors	2
Number of SATA III connectors	4
S/PDIF out connector	Yes
Front panel audio connector	Yes
Front panel connector	Yes
ATX Power connector (24-pin)	Yes
CPU fan connector	Yes
Number of chassis fan connectors	3
Chassis intrusion connector	Yes
EPS power connector (8-pin)	Yes
Number of COM connectors	1
TPM connector	Yes
Thunderbolt headers	1
RGB LED pin header	Yes

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.