

Xilence Performance A+ XC056 | M704PRO.ARGB



Artikel	125518
Herstellernummer	XC056
EAN	4044953503023
Xilence	

The new M704PRO.ARGB CPU cooler from the Performance A+ series brings light into the inside of the case. In order to highlight the CPU cooler the LED lights of the RGB lightning system sare eperately addressable and furthermore the complete the rest is designed in black. The top cover has a ARGB lighting.

With its 3PIN 5V D/P ARGB M/B connector being linked to the equivalent connector on the mainboard, the fan's color scheme can be controlled. In case there is no such RGB M/B connector on the mainboard, the M704.ARGB offers the possibility to manage the color scheme via a mini controller (being powered via the S-ATA connector of the PSU).

With this design and its specifications, the M704PRO.ARGB cooler is especially appropriate for gaming systems.

Thanks to the multi-socket design, the cooler can be applied on all current AMD and Intel sockets. Included in the scope of delivery is – besides heatsink and 120mm PWM fan – mounting material for sockets LGA1150/1151/1155/1156/1200/1700, LGA2066/2011 and AM4 , illustrated assembly instructions as well as a tube of thermal paste.

Zusammenfassung

The new M704PRO.ARGB CPU cooler from the Performance A+ series brings light into the inside of the case. In order to highlight the CPU cooler the LED lights of the RGB lightning system sare eperately addressable and furthermore the complete the rest is designed in black. The top cover has a ARGB lighting.

With its 3PIN 5V D/P ARGB M/B connector being linked to the equivalent connector on the mainboard, the fan's color scheme can be controlled. In case there is no such RGB M/B connector on the mainboard, the M704.ARGB offers the possibility to manage the color scheme via a mini controller (being powered via the S-ATA connector of the PSU).

With this design and its specifications, the M704PRO.ARGB cooler is especially appropriate for gaming systems.

Thanks to the multi-socket design, the cooler can be applied on all current AMD and Intel sockets. Included in the scope of delivery is – besides heatsink and 120mm PWM fan – mounting material for sockets LGA1150/1151/1155/1156/1200/1700, LGA2066/2011 and AM4 , illustrated assembly instructions as well as a tube of thermal paste.

Xilence Performance A+ XC056 | M704PRO.ARGB, Cooler, 500 RPM, 1500 RPM, 18 dB, 30.2 dB, Black

Xilence Performance A+ XC056 | M704PRO.ARGB. Type: Cooler, Rotational speed (min): 500 RPM, Rotational speed (max): 1500 RPM, Noise level (low speed): 18 dB, Noise level (high speed): 30.2 dB, Bearing type: Fluid Dynamic Bearing (FDB). Voltage: 12 V. Width: 75 mm, Depth: 120 mm, Height: 160 mm. Product colour: Black

Merkmale

Logistics data

Harmonized System (HS) code 84733080

Design

Product colour Black
Material Aluminium, Copper

Power

Voltage 12 V
Thermal Design Power (TDP) 180 W

Weight & dimensions

Width 75 mm
Depth 120 mm
Height 160 mm
Weight 426 g
Package width 205 mm
Package depth 147 mm
Package height 110 mm
Package weight 900 g

Performance

Suitable location Computer case
Type Cooler
Supported processor sockets LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1700, LGA 2011 (Socket R), LGA 2066, Socket AM4
Rotational speed (min) 500 RPM
Rotational speed (max) 1500 RPM
Noise level (low speed) 18 dB
Noise level (high speed) 30.2 dB
Bearing type Fluid Dynamic Bearing (FDB)
Quantity per pack 1 pc(s)

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.