

iiyama ProLite XU2494HS-B2 computer monitor



Artikel	128032
Herstellernummer	XU2494HS-B2
EAN	4948570120796
iiyama	

24" Full HD monitor with VA Panel

The ProLite XU2494HS with a VA panel ensures accurate and consistent colour reproduction with wide viewing angles. With a stylish slim bezel, the monitor would make an ideal choice for multi-monitor setups, compatible with any iiyama dual or triple monitor arm accessory for bespoke workspace configurations. Equipped with speakers, headphone socket, HDMI and DisplayPort connections and a blue light reducer function to reduce eye fatigue, make this 24" XU2494HS-B2 display ideal for any office or home office application.

VA

VA panel technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

Zusammenfassung

24" Full HD monitor with VA Panel

The ProLite XU2494HS with a VA panel ensures accurate and consistent colour reproduction with wide viewing angles. With a stylish slim bezel, the monitor would make an ideal choice for multi-monitor setups, compatible with any iiyama dual or triple monitor arm accessory for bespoke workspace configurations. Equipped with speakers, headphone socket, HDMI and DisplayPort connections and a blue light reducer function to reduce eye fatigue, make this 24" XU2494HS-B2 display ideal for any office or home office application.

VA

VA panel technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

iiyama ProLite XU2494HS-B2, 60.5 cm (23.8"), 1920 x 1080 pixels, Full HD, LED, 4 ms, Black

iiyama ProLite XU2494HS-B2. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black

Merkmale

Weight & dimensions

Packaging content

Stand included	Y
Cables included	AC, HDMI
Manual	Y

Design

Market positioning	Home
Product colour	Black
Frameless design	Y
Feet colour	Black

Multimedia

Built-in speaker(s)	Y
Built-in camera	N
Number of speakers	2
RMS rated power	4 W

Packaging data

Package width	613 mm
Package depth	403 mm
Package height	125 mm
Package weight	4 kg

Performance

NVIDIA G-SYNC	N
AMD FreeSync	N
Flicker-free technology	Y
Low Blue Light technology	Y

Width (with stand)	540 mm
Depth (with stand)	200 mm
Height (with stand)	400.5 mm
Weight (with stand)	3.2 kg

Ports & interfaces

Built-in USB hub	N
HDMI	Y
HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out	Y
HDCP	Y

Power

Energy efficiency class (SDR)	E
Energy consumption (SDR) per 1000 hours	16 kWh
Power consumption (typical)	19 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Ergonomics

VESA mounting	Y
Panel mounting interface	100 x 100 mm
Cable management	Y
Cable lock slot	Y
Cable lock slot type	Kensington
Height adjustment	N
Tilt angle range	4 - 22°
On Screen Display (OSD)	Y
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian
Number of OSD languages	10
Tilt adjustment	Y

Display

Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LED
Panel type	VA
Touchscreen	N
Display brightness (typical)	250 cd/m ²
Response time	4 ms
Display surface	Matt
Screen shape	Flat
Contrast ratio (typical)	3000:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°

Display number of colours	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 85 kHz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.