

HP E-Series E24d G4 computer monitor



Artikel	129373
Herstellernummer	6PA50A4#ABB
EAN	0195697978890
HP	

Create the perfect productivity hub

Inspire joy on your desk with the clean connectivity of the HP E24d G4 FHD USB-C Docking Monitor. Add your everyday accessories at the display, then add your PC with just one USB-C^[1] cable. Empower IT to remotely manage HP devices from anywhere on the network through RJ-45.^[2,3]

Zusammenfassung

Create the perfect productivity hub

Inspire joy on your desk with the clean connectivity of the HP E24d G4 FHD USB-C Docking Monitor. Add your everyday accessories at the display, then add your PC with just one USB-C^[1] cable. Empower IT to remotely manage HP devices from anywhere on the network through RJ-45.^[2,3]

HP E-Series E24d G4, 60.5 cm (23.8"), 1920 x 1080 pixels, Full HD, 5 ms, Black

HP E-Series E24d G4. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Merkmale

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Other features

Weight	6.86 kg
Height	323.3 mm
Width	539.4 mm
Depth	48.5 mm

Packaging content

Cables included	DisplayPort, HDMI, USB Type-C
-----------------	-------------------------------

Packaging data

Package width	646 mm
Package depth	269 mm
Package height	438 mm
Package weight	11 kg

Performance

HP segment	Business
------------	----------

Sustainability

Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights
--	--

Multimedia

Built-in camera	Yes
Built-in microphone	Yes

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-20 - 80% H)	

Design

Market positioning	Business
Product colour	Black
Country of origin	China

Power

Energy efficiency class (SDR)	D
Energy consumption (SDR) per 1000 hours	18 kWh
Power consumption (typical)	70 W
Power consumption (standby)	0.5 W
Power consumption (max)	175 W
AC input voltage	100 - 240 V
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	53.9 mm
Depth (with stand)	48.6 mm
Height (with stand)	20.7 mm
Weight (with stand)	6.86 kg
Width (without stand)	539.4 mm
Depth (without stand)	4.85 mm
Height (without stand)	32.3 mm

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	No
Height adjustment	Yes
Height adjustment	15 cm
Pivot	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
Plug and Play	Yes

Ports & interfaces

Built-in USB hub	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery	Yes
USB Power Delivery up to	100 W
HDMI	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone out	Yes

Display

Display diagonal	60.5 cm (23.8")
------------------	-----------------

Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Panel type	IPS
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	5 ms
Screen shape	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1440 x 900, 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)
Contrast ratio (typical)	1000:1
Contrast ratio (dynamic)	5000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.274 x 0.274 mm
Digital horizontal frequency	30 - 80 kHz
Digital vertical frequency	50 - 60 Hz
RGB colour space	NTSC
Colour gamut	72%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.