GIGABYTE B760 DS3H DDR4 motherboard



Artikel Herstellernummer EAN GIGABYTE 129885 B760 DS3H DDR4 4719331850746

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Zusammenfassung

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

GIGABYTE B760 DS3H DDR4 Motherboard - Supports Intel Core 14th CPUs, 18+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2, Intel, LGA 1700, Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,..., LGA 1700, 128 GB, DDR4-SDRAM

GIGABYTE B760 DS3H DDR4 Motherboard - Supports Intel Core 14th CPUs, 18+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCle 4.0 M.2, GbE LAN, USB 3.2 Gen 2. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, PCI Express 4.0, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. Maximum resolution: 4096 x 2304 pixels. USB connector type: USB Type-A, USB Type-C

Merkmale

Number of M.2 (M) slots

		Battery	
Technical details		Battery weight	3 g
	9 ()	Lithium weight per battery	0.07 g
Warranty period	3 year(s)	Number of battery cells	1
		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Expansion slots		Battery type	CR2032
PCI Express x16 slots	5		

Processor

Logistics data

Country of origin China
Products per shipping (inner) 1 pc(s)
case

Network

Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
Wi-Fi	No

Packaging content

Cables included	SATA
Batteries included	Yes
Bundled software	Norton Internet Security

Weight & dimensions

Width	305 mm
Depth	244 mm
Height	35 mm

Graphics

Parallel processing	Not supported
technology support	
Maximum resolution	4096 x 2304 pixels
HDCP	Yes
DirectX version	12.0

Packaging data

Package width	335 mm
Package depth	270 mm
Package height	80 mm
Package weight	1.31 kg

Processor manufacturer	Intel
Processor socket	LGA 1700
Compatible processor series	Intel® Celeron®, Intel® Core TM i3, Intel® Core TM i5, Intel® Core TM i7, Intel® Core TM i9, Intel® Pentium® Gold
Supported processor sockets	LGA 1700
Maximum internal memory supported by processor	128 GB

BIOS

BIOS type	UEFI AMI
BIOS memory size	128 Mbit
ACPI version	5.0
Clear CMOS jumper	Yes
Desktop Management Interface (DMI) version	2.7
System Management BIOS (SMBIOS) version	2.7

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive	M.2, PCI Express 4.0, SATA III
interfaces	
Number of HDDs supported	4
Number of storage drives	6
supported	
RAID support	Yes
RAID levels	0, 1, 5, 10

Features

Intel B760 Express
7.1 channels
Fan, Temperature, Voltage, Water cooling
PC
ATX
Intel
Windows 10 x64, Windows 11 x64

Memory

Supported memory types	DDR4-SDRAM
Number of memory slots	4
Memory slots type	DIMM
Memory channels	Dual-channel
ECC ?ompatibility	ECC & Non-ECC
Supported memory clock speeds	2133,2400,2666,2933,3000,3200 ,3300,3333,3400,3466,3600,366 6,3733,3800,3866,4000,4133,42 66,4300,4400,4500,4600,4700,4 800,4933,5000,5133,5333 MHz
Supported memory clock speed (max)	5333 MHz
Maximum internal memory	128 GB
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB

Rear panel I/O ports

USB 2.0 ports quantity	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-	-1
A ports quantity	
USB 3.2 Gen 2x2 Type-C ports	1
quantity	
Ethernet LAN (RJ-45) ports	1
PS/2 ports quantity	1
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	3
Microphone in	Yes
USB connector type	USB Type-A, USB Type-C

Internal I/O

USB 2.0 connectors	2
USB 3.2 Gen 1 (3.1 Gen 1)	2
connectors	
Number of SATA III connectors	4
Total number of SATA	4
connectors	
S/PDIF out connector	Yes
Front panel audio connector	Yes
Front panel connector	Yes
ATX Power connector (24-pin)	Yes
CPU fan connector	Yes
EPS power connector (8-pin)	Yes
TPM connector	Yes
Serial port headers	1
12V power connector	Yes
RGB LED pin header	Yes

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.