

# GIGABYTE Z790 UD AX motherboard

Artikel	129904
Herstellernummer	Z790 UD AX
EAN	4719331850395
GIGABYTE	



Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

## Zusammenfassung

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

GIGABYTE Z790 UD AX Motherboard - Supports Intel Core 14th CPUs, 16\*+1+? Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2, Intel, LGA 1700, Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,..., LGA 1700, 192 GB, DDR5-SDRAM

GIGABYTE Z790 UD AX Motherboard - Supports Intel Core 14th CPUs, 16\*+1+? Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,... Supported memory types: DDR5-SDRAM, Maximum internal memory: 192 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, PCI Express 4.0, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. Parallel processing technology support: Crossfire, Maximum resolution: 4096 x 2304 pixels. USB connector type: USB Type-A, USB Type-C

## Merkmale

### Technical details

Warranty period	3 year(s)
-----------------	-----------

### Logistics data

Country of origin	China
Products per shipping (inner)	1 pc(s)

### Processor

Processor manufacturer	Intel
Processor socket	LGA 1700
Compatible processor series	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold
Supported processor sockets	LGA 1700
Maximum internal memory supported by processor	192 GB

case

Packaging content

Cables included	SATA
Batteries included	Yes

Expansion slots

PCI Express x1 slots	2
PCI Express x16 slots	4
Number of M.2 (M) slots	3

Weight & dimensions

Width	305 mm
Depth	244 mm
Height	35 mm

Graphics

Parallel processing technology support	Crossfire
Maximum resolution	4096 x 2304 pixels
HDCP	Yes
DirectX version	12.0

Packaging data

Package width	335 mm
Package depth	270 mm
Package height	80 mm
Package weight	2.02 kg

Battery

Battery weight	3 g
Lithium weight per battery	0.07 g
Number of battery cells	1
Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Battery type	CR2032

BIOS

BIOS type	UEFI AMI
BIOS memory size	256 Mbit
ACPI version	5.0
Clear CMOS jumper	Yes
Desktop Management Interface (DMI) version	2.7
System Management BIOS (SMBIOS) version	2.7

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive interfaces	M.2, PCI Express 4.0, SATA III
Number of HDDs supported	6
Number of storage drives supported	9
RAID support	Yes
RAID levels	0, 1, 5, 10

Features

Motherboard chipset	Intel Z790
Audio output channels	7.1 channels
Product colour	Black
PC health monitoring	Fan, Temperature, Voltage, Water cooling
Component for	PC
Motherboard form factor	ATX
Motherboard chipset family	Intel
Windows operating systems supported	Windows 10 x64, Windows 11 x64

Network

Ethernet LAN	Yes
Ethernet interface type	2.5 Gigabit Ethernet
Wi-Fi	Yes
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
WLAN controller model	Intel Wi-Fi 6E AX211
Bluetooth	Yes
Bluetooth version	5.3

Memory

Supported memory types	DDR5-SDRAM
Number of memory slots	4
Memory slots type	DIMM
Memory channels	Dual-channel
ECC ?ompatibility	ECC & Non-ECC
Supported memory clock speeds	4000,4800,5200,5400,5600,5800 ,6000,6200,6400,6600,6800,700 0,7200,7400,7600 MHz

Supported memory clock speed (max)	7600 MHz
Maximum internal memory	192 GB
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB
Unbuffered memory	Yes

## Rear panel I/O ports

USB 2.0 ports quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1
USB 3.2 Gen 2x2 Type-C ports quantity	1
Ethernet LAN (RJ-45) ports	1
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	3
Microphone in	Yes
WiFi-AP antenna jack	2
USB connector type	USB Type-A, USB Type-C

## Internal I/O

USB 2.0 connectors	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors	1
USB 3.2 Gen 2 (3.1 Gen 2) connectors	1
Number of SATA III connectors	6
Total number of SATA connectors	6
S/PDIF out connector	Yes
Front panel audio connector	Yes
Front panel connector	Yes
ATX Power connector (24-pin)	Yes
CPU fan connector	Yes
EPS power connector (8-pin)	Yes
TPM connector	Yes
Serial port headers	1
Thunderbolt headers	2
12V power connector	Yes
RGB LED pin header	Yes

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.