

iiyama ProLite XUB2595WSU-B5 computer monitor



Artikel
Herstellernummer
EAN
iiyama

133086
XUB2595WSU-B5
4948570121465

25" 1920 x 1200 monitor featuring IPS panel and a height adjustable stand

Providing excellent picture performance, the ProLite XUB2595WSU is a great choice for office, graphics and CAD applications. The monitor features an IPS Technology LED panel offering 1920 x 1200 native resolution with accurate colour reproduction and wide viewing angles. The blue light reducer function and flicker-free LED's help to significantly limit eye fatigue typically caused by working with a computer screen. The 150mm height adjustable stand ensures you can easily adjust the screen position to your preferences. It is a great choice for both multi-monitor Digital Signage and office applications.

Zusammenfassung

25" 1920 x 1200 monitor featuring IPS panel and a height adjustable stand

Providing excellent picture performance, the ProLite XUB2595WSU is a great choice for office, graphics and CAD applications. The monitor features an IPS Technology LED panel offering 1920 x 1200 native resolution with accurate colour reproduction and wide viewing angles. The blue light reducer function and flicker-free LED's help to significantly limit eye fatigue typically caused by working with a computer screen. The 150mm height adjustable stand ensures you can easily adjust the screen position to your preferences. It is a great choice for both multi-monitor Digital Signage and office applications.

iiyama ProLite XUB2595WSU-B5, 63.5 cm (25"), 1920 x 1200 pixels, WUXGA, LED, 4 ms, Black

iiyama ProLite XUB2595WSU-B5. Display diagonal: 63.5 cm (25"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product colour: Black

Merkmale

Design

Market positioning	Office
Product colour	Black

Packaging data

Package width	629 mm
Package depth	160 mm
Package height	452 mm
Package weight	6.5 kg
Package type	Box

Packaging content

Cables included	AC, DisplayPort, HDMI, USB
Quick start guide	Yes

Performance

AMD FreeSync	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	2 W

Weight & dimensions

Width (with stand)	546.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	526.5 mm
Weight (with stand)	5 kg

Ports & interfaces

Built-in USB hub	Yes
USB hub version	2.0
VGA (D-Sub) ports quantity	1
HDMI	Yes
HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out	Yes

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	21 kWh
Power consumption (typical)	28 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Height adjustment	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	45 - 90°
Tilt angle range	23 - 5°
On Screen Display (OSD)	Yes
On Screen Display (OSD)	German, Dutch, English, French, Japanese, Polish, Russian
Tilt adjustment	Yes

Display

Display diagonal	63.5 cm (25")
Display resolution	1920 x 1200 pixels
HD type	WUXGA
Native aspect ratio	16:10
Display technology	LED
Panel type	IPS
Display brightness (typical)	300 cd/m ²
Response time	4 ms
Display surface	Matt
Screen shape	Flat
Contrast ratio (typical)	1000:1
Contrast ratio (dynamic)	5000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Horizontal scan range	30 - 89 kHz

Display diagonal (metric)	63.36 cm
Second display effective viewing area	535.4 x 338.7 mm

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.