

iiyama XUB2492HSU-W6 computer monitor



Artikel
Herstellernummer
EAN
iiyama

133698
XUB2492HSU-W6
4948570123346

Stylish edge-to-edge design makes the ProLite XUB2492HSU perfect for multi-monitor set-ups. The IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles. The 100Hz refresh rate together with FreeSync function provides an instant, tangible improvement in image smoothness. High contrast and brightness values mean the monitor will provide excellent performance for photographic and web design. Equipped with speakers, USB 3.2 hub, headphone socket, HDMI and DisplayPort connections, a blue light reducer function to reduce eye fatigue and an ergonomic 150mm height adjustable stand for optimal user comfort, make this 24" monitor a great choice for both multi-monitor configuration and office applications.

FLICKER-FREE + BLUE LIGHT

The ultimate solution for the comfort and health of your eyes. Flicker-free monitors with the blue light reducer function substantially reduce the strain and fatigue caused by flickering and blue light emittance of regular monitors.

Zusammenfassung

Stylish edge-to-edge design makes the ProLite XUB2492HSU perfect for multi-monitor set-ups. The IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles. The 100Hz refresh rate together with FreeSync function provides an instant, tangible improvement in image smoothness. High contrast and brightness values mean the monitor will provide excellent performance for photographic and web design. Equipped with speakers, USB 3.2 hub, headphone socket, HDMI and DisplayPort connections, a blue light reducer function to reduce eye fatigue and an ergonomic 150mm height adjustable stand for optimal user comfort, make this 24" monitor a great choice for both multi-monitor configuration and office applications.

FLICKER-FREE + BLUE LIGHT

The ultimate solution for the comfort and health of your eyes. Flicker-free monitors with the blue light reducer function substantially reduce the strain and fatigue caused by flickering and blue light emittance of regular monitors.

iiyama XUB2492HSU-W6, 60.5 cm (23.8"), 1920 x 1080 pixels, Full HD, LED, 0.4 ms, White

iiyama XUB2492HSU-W6. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 0.4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: White

Merkmale

Design

Product colour	White
----------------	-------

Packaging data

Package width	609 mm
Package depth	159 mm
Package height	398 mm

Multimedia

Number of speakers	2
RMS rated power	4 W
Built-in speaker(s)	Yes
Built-in camera	No

Performance

NVIDIA G-SYNC	No
AMD FreeSync	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Weight & dimensions

Width (with stand)	539.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	493 mm
Weight (with stand)	4.9 kg
Width (without stand)	539.5 mm
Depth (without stand)	209.5 mm
Height (without stand)	343 mm

Ports & interfaces

Built-in USB hub	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
HDMI	Yes
HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out	Yes
HDCP	Yes

Power

Energy efficiency class (SDR)	D
Energy consumption (SDR) per 1000 hours	13 kWh
Power consumption (typical)	15 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1671438

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Height adjustment	Yes
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Tilt adjustment	Yes
Tilt angle range	5 - 22°

Display

Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LED
Panel type	IPS
Touchscreen	No
Display brightness (typical)	250 cd/m²
Response time	0.4 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 115 kHz
Display diagonal (metric)	60.5 cm
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.