

TP-Link UE300 network card



Artikel	187090
Herstellernummer	UE300
EAN	0767261274990
TP-Link	

Compact and Portable Design

A foldable cord design enables a more convenient way for storage or travelling.

Plug & Play without installing driver

UE300 supports Plug and Play feature for devices running Windows (Windows XP/Vista/7/8/8.1/10), *Mac OS X (10.9/10.10) and Linux OS.

Fast and Stable Data Transfer

Equipped with a USB 3.0 port and Gigabit Ethernet port, UE300 provides a high speed data transfer rate up to 1000 Mbps.

Expand the Connectivity

UE300 adds Gigabit Ethernet network connectivity to those devices without Ethernet LAN port, such as Ultrabook or MacBook Air, through a USB 3.0 port, also being compatible with USB 2.0 and USB1.1 standard.

Zusammenfassung

Compact and Portable Design

A foldable cord design enables a more convenient way for storage or travelling.

Plug & Play without installing driver

UE300 supports Plug and Play feature for devices running Windows (Windows XP/Vista/7/8/8.1/10), *Mac OS X (10.9/10.10) and Linux OS.

Fast and Stable Data Transfer

Equipped with a USB 3.0 port and Gigabit Ethernet port, UE300 provides a high speed data transfer rate up to 1000 Mbps.

Expand the Connectivity

UE300 adds Gigabit Ethernet network connectivity to those devices without Ethernet LAN port, such as Ultrabook or MacBook Air, through a USB 3.0 port, also being compatible with USB 2.0 and USB1.1 standard.

TP-Link UE300, Wired, USB, Ethernet, 1000 Mbit/s, White

TP-Link UE300. Connectivity technology: Wired, Host interface: USB, Interface: Ethernet. Maximum data transfer rate: 1000 Mbit/s. USB powered. Product colour: White

Merkmale

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Packaging content

Quick installation guide	Yes
--------------------------	-----

Power

USB powered	Yes
-------------	-----

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista
-------------------------------------	--

Packaging data

Package width	183 mm
Package depth	85 mm
Package height	16 mm
Package weight	52 g

Design

Product colour	White
Internal	No
Chipset	Realtek RTL8153
Plug and Play	Yes
LED indicators	Yes

Network

Maximum data transfer rate	1000 Mbit/s
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000BaseT(X)
Wi-Fi	No

Ports & interfaces

Connectivity technology	Wired
Host interface	USB
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
USB ports quantity	1
USB connector form factor	Straight
USB version	3.2 Gen 1 (3.1 Gen 1)

	Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	Yes

Weight & dimensions

Width	71 mm
Depth	26 mm
Height	16.2 mm

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.