

Artikel Herstellernummer EAN TP-Link 188937 UH720 V1 0845973010041

USB 3.0 7-Port Hub with 2 Charging Ports

Increase the Number of Available Ports

The UH720 is perfect for anyone who has a computer with only one or two USB ports, and wants easier access to additional ports without having to switch between devices.

- * Many laptops have only one or two USB ports
- * Many computers have USB ports in difficult-to-reach locations

10x Data Transfer Speed

Equipped with USB 3.0 ports, the UH720 can transfer a 1080p movie under 2 minutes 18 seconds, whereas it takes 7 minutes 36 seconds with a USB Hub equipped with USB 2.0 ports. The actual transmission speed depends on the setting of the device connected.

Extra 2 Charging Ports for All Your Devices

Extra 2 USB ports supporting 2.4A outputs are specifically designed for ultra fast charging. It charges most USB-charged devices, no matter devices with large battery like tablet and smartphone, or gadgets with tiny battery like smart wearable devices, at full speed.

Exclusive TP-Link Smart Charging Technology Invented to Charge Fast

TP-Link Smart Charging technology intelligently identifies the connected devices and automatically delivers the fastest possible charge to your smartphones, tablets or other USB-charged devices to minimize the charging time.

Protect Both Your Devices and Precious Data

UH720 has a sophisticated circuit design with multiple protections for your devices against over-heating, over-current, over-voltage and short circuit. A built-in surge protector keeps both your devices and data safe in the process of transferring data. UH720 support USB ports hot swapping that can be safely connected and disconnected while the computer is powered on and running.

Considerate Design

A dim white LED indicator on the power button helps visulaize the connection status and similarly 7 dim white LED indicators beyond each USB port also indicate whether the devices are properly connected.

Zusammenfassung

USB 3.0 7-Port Hub with 2 Charging Ports

Increase the Number of Available Ports

The UH720 is perfect for anyone who has a computer with only one or two USB ports, and wants easier access to additional ports without having to switch between devices.

* Many laptops have only one or two USB ports

* Many computers have USB ports in difficult-to-reach locations

10x Data Transfer Speed

Equipped with USB 3.0 ports, the UH720 can transfer a 1080p movie under 2 minutes 18 seconds, whereas it takes 7 minutes 36 seconds with a USB Hub equipped with USB 2.0 ports. The actual transmission speed depends on the setting of the device connected.

Extra 2 Charging Ports for All Your Devices

Extra 2 USB ports supporting 2.4A outputs are specifically designed for ultra fast charging. It charges most USB-charged devices, no matter devices with large battery like tablet and smartphone, or gadgets with tiny battery like smart wearable devices, at full speed.

Exclusive TP-Link Smart Charging Technology Invented to Charge Fast

TP-Link Smart Charging technology intelligently identifies the connected devices and automatically delivers the fastest possible charge to your smartphones, tablets or other USB-charged devices to minimize the charging time.

Protect Both Your Devices and Precious Data

UH720 has a sophisticated circuit design with multiple protections for your devices against over-heating, over-current, over-voltage and short circuit. A built-in surge protector keeps both your devices and data safe in the process of transferring data. UH720 support USB ports hot swapping that can be safely connected and disconnected while the computer is powered on and running.

Considerate Design

A dim white LED indicator on the power button helps visulaize the connection status and similarly 7 dim white LED indicators beyond each USB port also indicate whether the devices are properly connected.

TP-Link UH720, USB 3.2 Gen 1 (3.1 Gen 1) Micro-B, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, 5000 Mbit/s, Black, 1 m, USB

TP-Link UH720. Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Micro-B, Hub interfaces: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Data transfer rate: 5000 Mbit/s, Product colour: Black, Cable length: 1 m. Power supply type: USB, Input voltage: 12 V, Output current: 2.24 A. Width: 165 mm, Depth: 65.5 mm, Height: 17.5 mm. Package width: 209 mm, Package depth: 110 mm, Package height: 86 mm

Merkmale

| | | System requirements | |
|--------------------------------|-----------|--|-------------|
| Logistics data | | Windows operating systems supported | Y |
| Harmonized System (HS) code | 84719000 | Mac operating systems supported | Y |
| | | Linux operating systems supported | Y |
| Other features | | | |
| Chipset | VIA VL812 | Weight & dimensions | |
| | | Width | 165 mm |
| Packaging content | | Depth | 65.5 mm |
| | | Height | 17.5 mm |
| AC adapter included | Y | | |
| | | Features | |
| Packaging data | | reatures | |
| | | Data transfer rate | 5000 Mbit/s |
| Package width | 209 mm | Product colour | Black |
| Package depth | 110 mm | LED indicators | Y |
| Package height | 86 mm | Cable length | 1 m |
| | | | |
| Power | | Ports & interfaces | |

| Device a superior to the s | LIOD | | |
|----------------------------|--------|--------------------------------|----------------------------------|
| Power supply type | USB | Host interface | USB 3.2 Gen 1 (3.1 Gen 1) Micro- |
| Input voltage | 12 V | | В |
| Output current | 2.24 A | Hub interfaces | USB 3.2 Gen 1 (3.1 Gen 1) Type- |
| | | | A |
| | | USB 3.2 Gen 1 (3.1 Gen 1) Type | e-9 |
| | | A ports quantity | |
| | | Ports quantity | 9 |
| | | DC-in jack | Y |

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.