


LevelOne USB-0503 network card

Artikel	21230314
Herstellernummer	USB-0503
EAN	4015867190562
LevelOne	



Fast and easy connection with USB

The LevelOne USB Hub and Gigabit Ethernet Combo Adapter allows you to connect to the internet easily through the built-in USB port on your laptop. Now you no longer need to have an Ethernet connection in order to surf the web. This is an ideal solution for MacBook or other Windows computers that may have wireless built-in but don't come with an Ethernet port. Sometimes you need to physically connect to a network cable to help transfer files or access secure information. The USB-0503 easily does the job, all through your USB port. The USB-0503 also combines a regular USB hub. So you can connect external USB peripherals, such as a MP3 player, digital camera, printer or pen drive. The USB-0503 establishes a direct point-to-point contact between the hub and the adapter that's plugged into your PC.

Reliable, efficient and standards compliant

The USB-0503 is USB 1.0, 2.0, and 3.0 compliant. It also follows the Ethernet standards set by the IEEE 802.3/3u and 802.3ab, allowing you to take advantage of Gigabit Ethernet speeds of up to 1000Mbps. This provides a strong backbone for any high-speed broadband connection to the internet as well as fast speeds for the Local Area Network file transfers.

Zusammenfassung

Fast and easy connection with USB

The LevelOne USB Hub and Gigabit Ethernet Combo Adapter allows you to connect to the internet easily through the built-in USB port on your laptop. Now you no longer need to have an Ethernet connection in order to surf the web. This is an ideal solution for MacBook or other Windows computers that may have wireless built-in but don't come with an Ethernet port. Sometimes you need to physically connect to a network cable to help transfer files or access secure information. The USB-0503 easily does the job, all through your USB port. The USB-0503 also combines a regular USB hub. So you can connect external USB peripherals, such as a MP3 player, digital camera, printer or pen drive. The USB-0503 establishes a direct point-to-point contact between the hub and the adapter that's plugged into your PC.

Reliable, efficient and standards compliant

The USB-0503 is USB 1.0, 2.0, and 3.0 compliant. It also follows the Ethernet standards set by the IEEE 802.3/3u and 802.3ab, allowing you to take advantage of Gigabit Ethernet speeds of up to 1000Mbps. This provides a strong backbone for any high-speed broadband connection to the internet as well as fast speeds for the Local Area Network file transfers.

LevelOne Gigabit USB Network Adapter, USB Hub, Wired, USB, Ethernet, 1000 Mbit/s, Silver, White

LevelOne Gigabit USB Network Adapter, USB Hub. Connectivity technology: Wired, Host interface: USB, Interface: Ethernet. Maximum data transfer rate: 1000 Mbit/s. USB powered. Product colour: Silver, White

Merkmale

Other features

Flow control support	Yes
----------------------	-----

Packaging content

Quick installation guide	Yes
--------------------------	-----

Technical details

Compliance certificates	RoHS
-------------------------	------

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac

Weight & dimensions

Width	27 mm
Depth	16 mm
Height	95 mm
Weight	42 g

Logistics data

Master (outer) case width	33.5 mm
Master (outer) case length	20 mm
Master (outer) case height	44 mm
Master (outer) case gross weight	5.5 kg
Products per master (outer) case	80 pc(s)

Packaging data

Package type	Box
Package width	90 mm
Package depth	21 mm
Package height	165 mm
Package weight	60 g

Design

Product colour	Silver, White
Internal	No
Hot-swap	Yes
Plug and Play	Yes
Country of origin	China
Certification	CE

Ports & interfaces

Connectivity technology	Wired
Host interface	USB
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
USB ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-3	
A hub ports quantity	
USB version	3.2 Gen 1 (3.1 Gen 1)

Network

Maximum data transfer rate	1000 Mbit/s
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000BaseT(X)
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Wake-on-LAN ready	Yes
Full duplex	Yes

Power

Input current	0.9 A
Output voltage	5 V
USB powered	Yes

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-5 - 80 °C
Operating relative humidity (H-0 - 85% H)	
Storage relative humidity (H- 0 - 85% H)	

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.