

# Grandstream Networks GRP2670 IP phone

---



<b>Artikel</b>	215950
<b>Herstellernummer</b>	GRP2670
<b>EAN</b>	6947273703723
Grandstream Networks	

Part of the GRP series of Professional Carrier-Grade IP Phones, the GRP2670 is an executive-quality 12-line model designed with zero-touch provisioning for mass deployment and easy management. It features a sleek design and a suite of next-generation features including a 7 inch touch screen, built-in dual-band Wi-Fi, Bluetooth support, 5-way voice conferencing, integrated PoE, full HD audio and more. The GRP series offers carrier-grade security features to provide enterprise-level security, including secure boot, dual firmware images and encrypted data storage. For cloud provisioning and centralized management, the GRP2670 is supported by Grandstream's Device Management System (GDMS), which provides a centralized interface to configure, provision, manage and monitor deployments of Grandstream endpoints. With 64 Virtual Multi-Purpose Keys (VPK), an easy-to-use 7-inch capacitive touch screen, and support for Bluetooth, EHS (Plantronics) and USB headsets, the GRP2670 is the perfect choice for busy professionals, executives, and receptionists who manage high call volumes. Designed for easy mass deployment by enterprises, service providers and other high-volume markets, the GRP2670 offers a high-end, easy-to-use and easy-to-deploy voice endpoint.

## Zusammenfassung

---

Part of the GRP series of Professional Carrier-Grade IP Phones, the GRP2670 is an executive-quality 12-line model designed with zero-touch provisioning for mass deployment and easy management. It features a sleek design and a suite of next-generation features including a 7 inch touch screen, built-in dual-band Wi-Fi, Bluetooth support, 5-way voice conferencing, integrated PoE, full HD audio and more. The GRP series offers carrier-grade security features to provide enterprise-level security, including secure boot, dual firmware images and encrypted data storage. For cloud provisioning and centralized management, the GRP2670 is supported by Grandstream's Device Management System (GDMS), which provides a centralized interface to configure, provision, manage and monitor deployments of Grandstream endpoints. With 64 Virtual Multi-Purpose Keys (VPK), an easy-to-use 7-inch capacitive touch screen, and support for Bluetooth, EHS (Plantronics) and USB headsets, the GRP2670 is the perfect choice for busy professionals, executives, and receptionists who manage high call volumes. Designed for easy mass deployment by enterprises, service providers and other high-volume markets, the GRP2670 offers a high-end, easy-to-use and easy-to-deploy voice endpoint.

Grandstream Networks GRP2670, IP Phone, Black, Wired handset, In-band, Out-of band, SIP info, Supervisor, User, 12 lines

Grandstream Networks GRP2670. Product type: IP Phone, Product colour: Black, Handset type: Wired handset. Dual-Tone Multi-Frequency (DTMF) modes: In-band, Out-of band, SIP info, Password protection type: Supervisor, User. Lines quantity: 12 lines, Phonebook capacity: 2000 entries. Volume control: Buttons. Display: TFT, Display diagonal: 17.8 cm (7"), Display resolution: 1024 x 600 pixels

# Merkmale

## Certificates

Certification	FCC, IC, CE, RCM
Compliance industry standards	FCC: Part 15 Subpart B(Class B), Part 15 Subpart C 15.247, Part 15 Subpart C 15.407, Part 1 Subpart I, Part 68. 316/317; IC: RSS-247, RSS-Gen, RSS-102, ICES-003, CS-03 Part V; CE: EN 55032, EN 55035, EN 61000-3-2, EN 61000-3-3, EN 62368-1, EN 62311, EN 301 489-1, EN 301 489-17, EN 300 328, EN 301 893; RCM: AS/NZS CISPR 32, AS/NZS 62368.1, AS/NZS 4268, AS NZS 2772.2, AS/CA S004.

## Performance

Dual-Tone Multi-Frequency (DTMF) modes	In-band, Out-of band, SIP info
Password protection type	Supervisor, User

## Design

Product type	IP Phone
Handset type	Wired handset
Product colour	Black

## Audio

Speakerphone	Y
Number of microphones	2
Voice codecs	G.711Mu, G.711alaw, G.722, G.723, G.726, G.729A, G.729B, OPUS, iLBC
Noise reduction	Y

## Display

Display	TFT
Display diagonal	17.8 cm (7")
Display resolution	1024 x 600 pixels
Touchscreen	Y

## Management features

Volume control	Buttons
Number of programmable keys	5
Number of function keys	9
Firmware upgradeable	Y

## Power

Power over Ethernet (PoE)	Y
AC adapter input voltage	100 - 240 V
AC adapter output voltage	12 V
AC adapter output current	1 A

## Ports & interfaces

Headset connectivity	RJ-9
USB 2.0 ports quantity	1
RJ-9 ports quantity	1
Headphone outputs	1
DC-in jack	Y

## Weight & dimensions

Width	267 mm
Depth	220 mm
Height	82 mm
Weight	1.1 kg
Package weight	1.65 kg

## Packaging content

Base station	Y
Handset	Y
Quick start guide	Y
Number of handles included	1 pc(s)
Cables included	DC, RJ-9
AC adapter included	Y

## Network

Ethernet LAN	Y
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi	Y
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Bluetooth	Y
Supported network protocols	SIP RFC3261, TCP/IP/UDP, RTP/RTCP, HTTP/HTTPS, ARP, ICMP, DNS(A record, SRV, NAPTR), DHCP, PPPoE, TELNET, TFTP, NTP, STUN, SIMPLE, LLDP, LDAP, TR-069, 802.1x, TLS, SRTP, IPV6
Quality of Service (QoS) support	Y
Security algorithms	256-bit AES, 802.1x RADIUS, MD5, SRTP, TLS
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3af

## Phone features

Lines quantity	12 lines
----------------	----------

## Operational conditions

Operating temperature (T-T) 0 - 40 °C

Operating relative humidity (H-10 - 90%  
H)

Storage relative humidity (H- 10 - 90%  
H)

Storage temperature (T-T) -10 - 60 °C

Answering machine	Y
Call log entries	2000
Call waiting	Y
Speed dialling	Y
Call hold	Y
Call forwarding	Y
Conference call	Y
On-hook dialling	Y
Phonebook capacity	2000 entries
Call park	Y
Call pick up	Y
Phonebook sharing	Y
Call transfer	Y
Call history	Y
Customizable wallpaper	Y

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.