

Honeywell Voyager 1202G



Artikel	542537
Herstellernummer	1202G-2USB-5
EAN	5711045302749
Honeywell	

Voyager 1202g Features and Benefits

Bluetooth® Wireless Technology:

Facilitates scanning of all standard 1D bar codes 10 meters (33 feet) or more away from the base, depending on the user's environment

Long Battery Life and Tool-Free Battery Removal:

The user-preferred Lithium ion battery provides 12 hours or more of use, depending on scanning volume, and the field-replaceable battery can be exchanged quickly and easily, without the use of tools

Automatic Interface Configuration:

Supports all popular interfaces in one device, replacing the time consuming process of scanning programming bar codes with automatic interface detection and configuration

Excellent Poor Quality Code Reading:

Increases throughput and reduces the potential for hand-keyed errors by quickly scanning a variety of 1D bar codes, including those that are damaged or smudged

Paging Functionality:

Simply press the button on the base to locate your lost scanner; Voyager 1202g responds with a series of beeps and blinking lights on its indicator panel

Remote MasterMind™ Ready:

Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices.

Zusammenfassung

Voyager 1202g Features and Benefits

Bluetooth® Wireless Technology:

Facilitates scanning of all standard 1D bar codes 10 meters (33 feet) or more away from the base, depending on the user's environment

Long Battery Life and Tool-Free Battery Removal:

The user-preferred Lithium ion battery provides 12 hours or more of use, depending on scanning volume, and the field-replaceable battery can be exchanged quickly and easily, without the use of tools

Automatic Interface Configuration:

Supports all popular interfaces in one device, replacing the time consuming process of scanning programming bar codes with automatic interface detection and configuration

Excellent Poor Quality Code Reading:

Increases throughput and reduces the potential for hand-keyed errors by quickly scanning a variety of 1D bar codes, including those that are damaged or smudged

Paging Functionality:

Simply press the button on the base to locate your lost scanner; Voyager 1202g responds with a series of beeps and blinking lights on its indicator panel

Remote MasterMind™ Ready:

Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices.

Honeywell Voyager 1202G, Handheld bar code reader, 1D, Laser, 60 - 60°, Wireless, Bluetooth

Honeywell Voyager 1202G. Type: Handheld bar code reader, Scanner type: 1D, Sensor type: Laser. Connectivity technology: Wireless, Standard interfaces: Bluetooth, Data transfer rate: 3 Mbit/s. Product colour: Black, International Protection (IP) code: IP42. Power source type: Battery, Battery technology: Lithium-Ion (Li-Ion), Battery capacity: 1800 mAh. Weight: 180 g, Width: 66 mm, Depth: 180 mm

Merkmale

Logistics data

Harmonized System (HS) code	84716070
-----------------------------	----------

Packaging data

Charging base	Yes
---------------	-----

Technical details

Compliance certificates	RoHS
-------------------------	------

Performance

International Protection (IP) code	IP42
Product colour	Black

Operational conditions

Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-5 - 35 °C
Operating relative humidity (H-0 - 95% H)	

Scanning

Type	Handheld bar code reader
Scanner type	1D
Sensor type	Laser
Pitch reading angle	60 - 60°

Ports & interfaces

Connectivity technology	Wireless
Standard interfaces	Bluetooth
Data transfer rate	3 Mbit/s
Wireless range	10 m
Bluetooth version	2.1+EDR
Operating frequency	2.4 - 2.5 MHz

Weight & dimensions

Width	66 mm
Depth	180 mm
Height	92 mm
Weight	180 g
Base weight	185 g
Base dimensions (WxDxH)	200 x 67 x 97 mm

Power

Power source type	Battery
Battery technology	Lithium-Ion (Li-Ion)
Battery capacity	1800 mAh
Number of reads per charge	45000
Battery life	12 h
Charging time	4 h
Input voltage	5 V

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.