


Supermicro AOC-SGP-I2 network card

| | |
|-------------------------|---------------|
| Artikel | 759414 |
| Herstellernummer | AOC-SGP-I2 |
| EAN | 4260387380324 |
| Supermicro | |



The Most Compact and Cost Effective 2-port Ethernet Controller in the Market

With the AOC-SGP-i2, Supermicro has extended the boundaries of Ethernet technology to create the most compact, cost effective, and feature-packed 2-port Ethernet controller in the market, allowing it to fit easily into the tightest high-density server add-on card locations. With ultra-small footprint and rich of power management technology feature set, the AOCSGP-i2 represents the next step in the Gigabit Ethernet networking evolution for enterprise and data center environments

Zusammenfassung

The Most Compact and Cost Effective 2-port Ethernet Controller in the Market

With the AOC-SGP-i2, Supermicro has extended the boundaries of Ethernet technology to create the most compact, cost effective, and feature-packed 2-port Ethernet controller in the market, allowing it to fit easily into the tightest high-density server add-on card locations. With ultra-small footprint and rich of power management technology feature set, the AOCSGP-i2 represents the next step in the Gigabit Ethernet networking evolution for enterprise and data center environments

Supermicro AOC-SGP-I2, Internal, Wired, PCI Express, Ethernet, Green

Supermicro AOC-SGP-I2. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Product colour: Green

Merkmale

Logistics data

Harmonized System (HS) code 85176990

Packaging data

Quantity 1

Weight & dimensions

| | |
|--------|---------|
| Width | 99.1 mm |
| Height | 69 mm |

System requirements

| | |
|-------------------------------------|---|
| Windows operating systems supported | Windows Vista, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
| Linux operating systems | Yes |

Sustainability

| | |
|-----------------------------|------|
| Sustainability certificates | RoHS |
|-----------------------------|------|

Design

| | |
|----------------|-------|
| Product colour | Green |
| Internal | Yes |

Operational conditions

| | |
|-----------------------------|-------------|
| Operating temperature (T-T) | 0 - 55 °C |
| Storage temperature (T-T) | -40 - 70 °C |

| | |
|-----------------------------------|------------------------------|
| supported | |
| Other operating systems supported | FreeBSD, VMware vSphere ESXi |

Network

| | |
|-------------------------|---|
| Networking standards | IEEE 802.1Q, IEEE 802.3, IEEE 802.3az, IEEE 802.3x, IEEE 802.3z |
| Ethernet LAN | Yes |
| Ethernet LAN data rates | 10,100,1000 Mbit/s |
| Cabling technology | 10/100/1000BaseT(X) |
| LAN controller | Intel® I350 |

Ports & interfaces

| | |
|----------------------------|-------------|
| Connectivity technology | Wired |
| Host interface | PCI Express |
| Interface | Ethernet |
| Ethernet LAN (RJ-45) ports | 2 |
| PCI version | 2.1 |

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.