

Ubiquiti Networks UniFi US-8-60W

Artikel	855454
Herstellernummer	US-8-60W-EU
EAN	0810354026188
Ubiquiti Networks	



8-Port Managed Gigabit Switches

The US-8-60W is an 8-port gigabit switch with four 802.3af PoE ports. Its auto-sensing PoE ports deliver up to 15.4W of power per port.

The US-8 is a PoE Powered 8-port gigabit switch with PoE Passthrough. Perfect for cleanly adding Ethernet ports where needed, with passthrough to keep your PoE device powered.

Non-Blocking Throughput

The new 8-port models feature Gigabit Ethernet ports in a compact form factor. For its total, non-blocking throughput, each UniFi Switch supports up to 8 Gbps.

Switching Capacity

The UniFi Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss, with a switching capacity of 16 Gbps.

Seamless Integration

A single instance of the UniFi Controller running in the cloud can manage multiple UniFi sites within a centralized interface. Each site is logically separated and has its own network monitoring, configuration, maps, statistics, and admin accounts.

Zusammenfassung

8-Port Managed Gigabit Switches

The US-8-60W is an 8-port gigabit switch with four 802.3af PoE ports. Its auto-sensing PoE ports deliver up to 15.4W of power per port.

The US-8 is a PoE Powered 8-port gigabit switch with PoE Passthrough. Perfect for cleanly adding Ethernet ports where needed, with passthrough to keep your PoE device powered.

Non-Blocking Throughput

The new 8-port models feature Gigabit Ethernet ports in a compact form factor. For its total, non-blocking throughput, each UniFi Switch supports up to 8 Gbps.

Switching Capacity

The UniFi Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss, with a switching capacity of 16 Gbps.

Seamless Integration

A single instance of the UniFi Controller running in the cloud can manage multiple UniFi sites within a centralized interface. Each site is logically separated and has its own network monitoring, configuration, maps, statistics, and admin accounts.

Ubiquiti Networks UniFi US-8-60W, Managed, L2, Gigabit Ethernet (10/100/1000), Power over Ethernet (PoE), Wall mountable

Ubiquiti Networks UniFi US-8-60W. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1x, IEEE 802.3af. DC input voltage: 48 V. Power connector: DC-in jack. Power over Ethernet (PoE). Wall mountable

Merkmale

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Security

Security algorithms	802.1x RADIUS
---------------------	---------------

Management features

Switch type	Managed
Switch layer	L2

Operational conditions

Operating temperature (T-T)	-5 - 45 °C
Operating relative humidity (H-5 - 95% H)	

Data transmission

Switching capacity	16 Gbit/s
Forwarding rate	11.9 Mpps
Jumbo frames support	Y

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Power connector	DC-in jack

Power

Power supply included	Y
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
DC input voltage	48 V

Weight & dimensions

Width	148 mm
Depth	99.5 mm
Height	30.7 mm
Weight	432 g

Power over Ethernet (PoE)

Power over Ethernet (PoE)	Y
Power over Ethernet (PoE) type supported	Active PoE
Power over Ethernet (PoE) ports quantity	4
Power over Ethernet (PoE) power per port	15.4 W
Total Power over Ethernet (PoE) budget	60 W

Design

Product colour	Grey
Housing material	Steel
Reset button	Y
LED indicators	Activity, Link, PoE, Speed
Wall mountable	Y
Certification	ETSI300-019-1.4, CE, FCC, IC

Performance

Built-in processor	Y
Processor frequency	400 MHz
Memory type	DDR3-SDRAM
Internal memory	256 MB
Flash memory	32 MB
Fanless	Y

Network

Networking standards	IEEE 802.1x, IEEE 802.3af
10G support	N
Copper ethernet cabling	10BASE-T, 100BASE-TX,

technology	1000BASE-T
Port mirroring	Y
Flow control support	Y
Broadcast storm control	Y
Spanning tree protocol	Y
Ethernet LAN data rates	10,100,1000 Mbit/s
Auto-sensing	Y
VLAN support	Y

Preisänderungen und Irrtümer vorbehalten. Alle Produkte solange der Vorrat reicht.